GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q

TIN No.: 06821328889, TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



KRM

**OEM Manufacturer & Global Supplier of** Lockout Tagout & Safety Products

XM-1010

to meet **OSHA'S Lockout Tagout Standard** 29 CFR, 1910.147&1910.269



Lock Tag!!



safe lôto

K&1 Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI

PAN No.: AAECK2831L TIN No.: 06824000112

CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q

TIN No.: 06821328889, TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



KRM

**OEM Manufacturer & Global Supplier of** Lockout Tagout & Safety Products

XM-1010

**OSHA'S Lockout Tagout Standard** 29 CFR, 1910.147&1910.269



Lock Tag!!



safe lôto

KM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI

PAN No.: AAECK2831L TIN No.: 06824000112

CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com www.lockouttagouts.com www.krmloto.com

www.lotoappliances.com www.locktagindia.com

#### KRM LOTO – LAMINATED PADLOCK

### **Index Page No:-2**

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
¹SA	KRM-K-LPDWC-L	Laminated Long Shackle Padlock	0.135	3-4
2	KRM-K-LPDWC-S	Laminated Short Shackle Padlock	0.125	3-4
18	CK 2	FEATURE OF OSHA LOCKS	alm I	5-6

GSTIN No.: 06AAVPW8746Q1Z6 PAN No.: AAVPW8746Q TIN No.: 06821328889,

TAN no.: RTKKO3359G IEC: 0509006116





KRM

OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

**XM-1010** 



Lock Tag!!



safe lôto

KM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI

PAN No.: AAECK2831L TIN No.: 06824000112

CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com www.lockouttagouts.com www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

### KRM LOTO - LAMINATED PADLOCK WITH CAP

Size - 40mm zinc-plated laminated bodies

#### **Specification:**

- Brass cylinder
- 5 pin tumbler
- Hardened steel shackle, heat treatment
- Double deadbolt locking
- Normal and long shackle
- Two nickel-plated brass keys
- Various or alike keys are available
- 45 to 50HRC
- Withstands 48 to 72 hours of salt-spray testing
- Weight 135gm short shackle & 150gm long shackle










ITEM CODE	BODY HEIGHT (A)	BODY WIDTH (B)	BDOY DEPTH (C.)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
KRM-K-LPDWCS	40 mm	33 mm	21 mm	26 mm	20 mm	5 mm
KRM-K-LPDWCL	40 mm	33 mm	21 mm	53 mm	20 mm	5 mm







GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q

TIN No.: 06821328889, TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



KRM

**OEM Manufacturer & Global Supplier of** Lockout Tagout & Safety Products

XM IOTO

OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



Lock Tag!!



safe lôto

KM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI

PAN No.: AAECK2831L TIN No.: 06824000112

CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

C€

Certified

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



#### LAMINATED PADLOCKS WITH CAP

Size - 40mm zinc-plated laminated bodies

#### Specification:

- Brass cylinder
- 5 pin tumbler
- Hardened steel shackle, heat treatment
- Double deadbolt locking
- Normal and long shackle
- Two nickle-plated brass keys
- Various or alike keys are available
- 45 to 50HRC
- Withstands 48 to 72 hours of salt-spray testing
- Weight 135gm short shackle and 150gm long shackle



KRM-K-LPDWCL

ITEM CODE	BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH(C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
KRM-K-LPDWCS	40mm	33mm	21mm	26mm	20mm	5mm
KRM-K-LPDWCL	40mm	33mm	21mm	53mm	20mm	5mm

KRM CORPORATION ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018 to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

KM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA) Regd. Office: 1H/31A, N.I.T. Faridabad-121001

www.krmloto.com www.krmcorporation.com, www.safetyloto.com www.lotoappliances.com, www.lockouttagouts.com











KM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI PAN No.: AAECK2831L

CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.locktagindia.com

www.lotoappliances.com

## **SPECIAL FEATURE of OSHA Safety Lock Tag Padlock:**

High quality isolation lock as per isolation guidelines to meet OSHA requirement

- Key retained in unlock condition that means key would not come out.
- Key can be removed in only lock position.
- It is suitable for both low and high temperature.
- Particular key for particular lock.
- No key mixing with any other lock.
- Key mechanism- differ key, alike key, master key available on demand. The new management key technology - 6/10 level management.
- Each lock with specific numbering on body of lock and key.
- Special fluorescent color available on volume basis.
- Standard shackle, long shackle Metal/ Dielectric shackle available
- Electric current resist from shackle to key, in case of dielectric shackle.
- Main advantage of nylon shackle, in case of emergency, shackle can be cut easily.

GSTIN No.: 06AAVPW8746Q1Z6 PAN No.: AAVPW8746Q

TIN No.: 06821328889, TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



KRM

**OEM Manufacturer & Global Supplier of** Lockout Tagout & Safety Products

OSHA'S Lockout Tagout Standard

29 CFR, 1910.147&1910.269

XM-LOTO



Lock Tag!!

KM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI

PAN No.: AAECK2831L TIN No.: 06824000112

CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



#### SPECIAL FEATURE OF OSHA SAFETY LOCK TAG PADLOCKS



- High quality isolation padlock as per isolation guidelines to meet OSHA requirements
- Key retained in unlock condition that means key would not come out & the Key can be removed in only lock position.
- It is suitable for both low and high temperature.
- Particular key for particular padlock.
- No key mixing with any other lock.
- Key mechanism- differ key, alike key, master key available on demand. The new management key technology - 6/10 level management.
- Each lock with specific numbering on body of lock and key.
- Special fluorescent color available on volume basis.
- Standard shackle, long shackle in Metal/Dielectric shackle available
- Electric current resist from shackle to key, in case of dielectric shackle.
- Main advantage of nylon shackle, in case of emergency, shackle can be cut easily.



KRM CORPORATION

ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018 to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

KM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001
Haryana - NCR (INDIA)

www.krmcorporation.com, www.safetyloto.com www.krmloto.com www.lotoappliances.com, www.lockouttagouts.com

















GSTIN No.: 06AAECK2831L1ZI

PAN No.: AAECK2831L TIN No.: 06824000112

CIN No.: U31903HR2011PTC042508

www.lotoappliances.com

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Lockout Tagout & Safety Product:

OSHA'S Lockout Tagout Standard

29 CFR, 1910,147&1910,269

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com www.lockouttagouts.com www.krmloto.com www.locktagindia.com

# DRAWBACK OF ABS JACKETED METAL PADLOCK:

- KEY NOT RETAINED in this Lock—not recommended to any one for full proof isolation work for safety.
- Possibility for key interchanging is also on higher side.
- That lock was metal body and cover with ABS clipping with spring/ball cylinder which not hold key in unlock Position.
- Non resistance to electric current, so not recommendable for the high voltage area.
- No specific key arrangement for locking mechanism.

WE ALWAYS RECOMMEND OSHA SAFETY LOCK TAG PADLOCK INSPITE OF ABS JACKETED PADLOCK





**OEM Manufacturer & Global Supplier of** Lockout Tagout & Safety Products

29 CFR, 1910,147&1910,269



Lock Tag!!

KM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI PAN No.: AAECK2831L

TIN No.: 06824000112 CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

### **Notes:**

Lock & Tag should be used with all loto products.

- For group locking on particular energy hasp should be used.
- Group lockout box should be used for group lockout tagout.
- Scissor Cable or Round cable lockout can be used to lock multiple hazardous energies instead putting individual locks & tags.