

**KRM CORPORATION**

OHSA 18001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.safetyloto.com](http://www.safetyloto.com) | [www.lockoutmaster.com](http://www.lockoutmaster.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



LOCKOUT/TAGOUT  
**KRM-LOTO**  
SAFETY PRODUCTS

to compliance  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

Email: [info@krmcorporation.com](mailto:info@krmcorporation.com), [krm@krmcorporation.com](mailto:krm@krmcorporation.com), [wadhwarajinder@gmail.com](mailto:wadhwarajinder@gmail.com)



[www.lotoappliances.com](http://www.lotoappliances.com)

**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO –24H PORTABLE/ WALL MOUNTED GROUP LOTO BOX( WITHOUT MATERIAL )

- **Material** - Mild Steel with duly Phosphate powder coated.
- Size - Width 270 mm x height 320 mm x Depth 85 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on **fix back surface** of box to hang on any surface
- One slot on front top side
- Provision of holes inside to fix hooks .
- 24 Slots to hang / accommodates padlocks
- Front side with clear fascia 165 mm x 217 mm
- Resistant to corrosion.
- It is portable as well wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red , can make as per the requirement, if qty.50 pcs
- **Weighs** – Min 2 Kg
- The contents in picture are not part of box – just for reference , all items like locks , tags etc. on additional cost



**KRM-K-24H - PWMGLB**

[www.krmloto.com](http://www.krmloto.com)

**KRM CORPORATION**

OSHAS 18001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lotoappliances.com



to compliance  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

Email: info@krmcorporation.com, krm@krmcorporation.com, wadhwrajinder@gmail.com



www.lotoappliances.com

**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO –24H1P PORTABLE/ WALL MOUNTED GROUP LOTO BOX ( WITHOUT MATERIAL )

- **Material** - Mild Steel with duly Phosphate powder coated.
- Size - Width 270 mm x height 320 mm x Depth 85 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on **fix back surface** of box to hang on any surface
- One slot on front top side
- Provision of holes inside to fix hooks
- **Provision of one ABS pocket .**
- 24 Slots to hang / accommodates padlocks
- Front side with clear fascia 165 mm x 217 mm
- Resistant to corrosion.
- It is portable as well wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red , can make as per the requirement, if qty.50 pcs
- **Weighs** – Min 2 Kg
- The contents in picture are not part of box – just for reference , all items like locks , tags etc. on additional cost



**KRM-K-24H1P- PWMGLB**

www.krmloto.com



**KRM CORPORATION**

OHSAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.safetyloto.com](http://www.safetyloto.com) | [www.lockoutmaster.com](http://www.lockoutmaster.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



LOCKOUT/TAGOUT  
**KRM-LOTO**  
SAFETY PRODUCTS

to compliance  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

Email: [info@krmcorporation.com](mailto:info@krmcorporation.com), [krm@krmcorporation.com](mailto:krm@krmcorporation.com), [wadhwarajinder@gmail.com](mailto:wadhwarajinder@gmail.com)



[www.lotoappliances.com](http://www.lotoappliances.com)

**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO –24H2P PORTABLE/ WALL MOUNTED GROUP LOTO BOX ( WITHOUT MATERIAL )

- **Material** - Mild Steel with duly Phosphate powder coated.
- **Size** - Width 270 mm x height 320 mm x Depth 85 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on **fix back surface** of box to hang on any surface
- One slot on front top side
- Provision of holes inside to fix hooks
- **Provision of TWO ABS pocket .**
- 24 Slots to hang / accommodates padlocks
- Front side with clear fascia 165 mm x 217 mm
- Resistant to corrosion.
- It is portable as well wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red , can make as per the requirement, if qty.50 pcs
- **Weights** – Min 2 Kg
- The contents in picture are not part of box – just for reference , all items like locks , tags etc. on additional cost



**KRM-K-24H2P- PWMGLB**

**KRM CORPORATION**

OSHAS 18001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lotoappliances.com



to compliance  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

Email: info@krmcorporation.com, krm@krmcorporation.com, wadhwrajinder@gmail.com



www.lotoappliances.com

**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO –48H PORTABLE/ WALL MOUNTED GROUP LOTO BOX ( WITHOUT MATERIAL )

- **Material** - Mild Steel with duly Phosphate powder coated.
- It is portable as well wall mounted type – compact UNIQUE DESIGN MODEL
- Size - Width 270 mm x height 320 mm x Depth 85 mm
- Provision of hole on top to fix handle for portable purpose
- **Provision of key holes on open able back surface of box to hang on any surface**
- One slot on front side
- Provision of holes inside to fix hooks .
- **24 Slots x 2 = 48 slots to hang / accommodates padlocks**
- **Front and back side with clear fascia 165 mm x 217 mm with side boarder**
- Resistant to corrosion.
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red , can make other color as per the requirement, if qty.50 pcs
- **Weights** – Min 2 Kg
- The contents in picture are not part of box – just for reference , all items like locks , tags etc. on additional cost

**Note : Provision to fix one or two ABS pocket with one layer of hooks on demand**



### KRM-K-48H - PWMGLB



**KRM CORPORATION**

OSHAS 18001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.safetyloto.com](http://www.safetyloto.com) | [www.lockoutmaster.com](http://www.lockoutmaster.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



LOCKOUT/TAGOUT  
**KRM-LOTO**  
SAFETY PRODUCTS

to compliance  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO –48H1P- PORTABLE/ WALL MOUNTED GROUP LOTO BOX ( WITHOUT MATERIAL )

- **Material** - Mild Steel with duly Phosphate powder coated.
- It is portable as well wall mounted type – compact UNIQUE DESIGN MODEL
- Size - Width 270 mm x height 320 mm x Depth 85 mm
- Provision of hole on top to fix handle for portable purpose
- **Provision of key holes on open able back surface of box to hang on any surface**
- One slot on front side
- Provision of holes inside to fix hooks .
- **Provision of one ABS pocket .**
- **24 Slots x 2 = 48 slots to hang / accommodates padlocks**
- **Front and back side with clear fascia 165 mm x 217 mm with side boarder**
- Resistant to corrosion.
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red , can make other color as per the requirement, if qty.50 pcs
- **Weighs** – Min 2 Kg

The contents in picture are not part of box – just for reference , all items like locks , tags etc. on additional cost



**KRM-K-48H1P - PWMGLB**

**KRM CORPORATION**

OSHAS 18001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.safetyloto.com](http://www.safetyloto.com) | [www.lockoutmaster.com](http://www.lockoutmaster.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



LOCKOUT/TAGOUT  
**KRM-LOTO**  
SAFETY PRODUCTS

to compliance  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO –48H2P- PORTABLE/ WALL MOUNTED GROUP LOTO BOX ( WITHOUT MATERIAL )

- **Material** - Mild Steel with duly Phosphate powder coated.
- It is portable as well wall mounted type – compact UNIQUE DESIGN MODEL
- Size - Width 270 mm x height 320 mm x Depth 85 mm
- Provision of hole on top to fix handle for portable purpose
- **Provision of key holes on open able back surface of box to hang on any surface**
- One slot on front side
- Provision of holes inside to fix hooks .
- **Provision of TWO ABS pocket .**
- **24 Slots x 2 = 48 slots to hang / accommodates padlocks**
- **Front and back side with clear fascia 165 mm x 217 mm with side boarder**
- Resistant to corrosion.
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red , can make other color as per the requirement, if qty.50 pcs
- **Weighs** – Min 2 Kg
- The contents in picture are not part of box – just for reference , all items like locks , tags etc. on additional cost



**KRM-K-48H2P - PWMGLB**

[www.krmloto.com](http://www.krmloto.com)