GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q TIN No.: 06821328889,

TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

-LOTO

OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



Lock Tag!!



GSTIN No.: 06AAECK2831L1ZI PAN No.: AAECK2831L

TIN No.: 06824000112

CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM RANGE OF FIRST AID KIT POUCH TRANSPARENT

KRM-K-FAKP-T

- Material Super high quality fabric.
- Size width 8", Height 4.5", depth expandable up to
- No of Pockets -1 to keep items.
- Transparent front strip of about inches for visibility inside the bag.
- Side handle to make it handy and portable.
- Light weight and good storage space to keep items as shown in image.
- Can be used to hang on the waist belt, to make work hassle free as shown in image.
- Color Red, Yellow or as per quantity required.





KRM CORPORATION ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018 to meto SSMS'S Lockout Taeout Standard 29 CFR. 1910.1478/1910.209

GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q TIN No.: 06821328889,

TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

-LOTO

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

www.lotoappliances.com

Lock Tag!!



KM Safetech Private Limited QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

GSTIN No.: 06AAECK2831L1ZI

TIN No.: 06824000112 CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Lockout Tagout

PAN No.: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

FIRST AID KIT +

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM RANGE OF FIRST AID KIT POUCH

KRM-K-FAKP

- Material Super high quality fabric.
- Size Width 8", Height 4.5", depth expandable up to 2"
- No of Pockets 1 to keep items.
- Side handle to make it handy and portable.
- Light weight and has good storage space to keep items as shown in image.
- Can be used to hang on the waist belt, to make work hassle free as shown in image.
- Color Red, Yellow or as per quantity required.



GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q TIN No.: 06821328889,

TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

-LOTO

OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



Lock Tag!!



GSTIN No.: 06AAECK2831L1ZI PAN No.: AAECK2831L

TIN No.: 06824000112 CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.lockouttagouts.com www.krmcorporation.com

www.krmloto.com

www.locktagindia.com

KRM - FIRST AID KIT POUCH

KKRM-K-FAKP-S

- Material Super high quality fabric.
- Size Length 8", Height 5", depth–3" inch
- No of Pockets 1 main pocket and one small side pocket.
- Side handle to make it handy and portable.
- Light weight and has good storage space to keep.
- **Color** Yellow, Red or as per quantity required.



TIN No.: 06821328889, TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

-LOTO

OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



Lock Tag!!



GSTIN No.: 06AAECK2831L1ZI PAN No.: AAECK2831L

TIN No.: 06824000112 CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.lockouttagouts.com www.krmcorporation.com

www.krmloto.com

www.locktagindia.com

KRM - FIRST AID KIT POUCH - MEDIUM

KKRM-K-FAKP-M

- Material Super high quality export fabric
- **Size** height 8.5", Width 6.5", depth 2.5"
- Side handle to make it handy and portable.
- No. of Pockets 1 to keep items.
- Light weight and has good storage space to keep first aid items.
- Color red



TIN No.: 06821328889, TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

-LOTO

OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



Lock Tag!!



GSTIN No.: 06AAECK2831L1ZI PAN No.: AAECK2831L

TIN No.: 06824000112 CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.lockouttagouts.com www.krmcorporation.com

www.krmloto.com

www.locktagindia.com

KRM - FIRST AID KIT POUCH BIG

KKRM-K-FAKP-M

- Material Super high quality fabric
- Size Width 10'', Depth 5'', Height 8''
- Inner space to keep multiple items
- Standard text matter as per image, but can make customized on volume basis
- Standard color Red, or as per required quantity on volume **Basis**



KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q

TIN No.: 06821328889, TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269





KM Safetech Private Limited QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

GSTIN No.: 06AAECK2831L1ZI PAN No.: AAECK2831L

TIN No.: 06824000112 CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Telelax. 00 91 129 40

⁸⁸¹ Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com **№** Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

Lock Tag!!

www.krmcorporation.com | www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

safe lôto

www.lotoappliances.com

KRM – FIRST AID WAIST POUCH BELT BAG

- Material- Super high quality fabric.
- Size of Middle Pocket Length 175 mm, Height 120 mm,
 Depth 30 mm
- Size of Side Pocket Length 110 mm, Height 120 mm
- Size of Full Size Pocket Length 345 mm, Height-18 mm, Depth-130mm
- No of Pockets 4 different size of pockets to keep items.
- Additional feature of belt to put it on waist and also can carry it on shoulder as shown in image.
- Standard color Red, or as per required quantity on volume Basis .



KRM-K-ORMP-LWB-R



KRM CORPORATION 150 0Ms - 9001:2015, ISO EMS 14001:2015, ISO 0MsMS 45001:2018 to meet 05HAS Lockout Tagoul Standard 29 CFR. 1910.14781910.269

GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q TIN No.: 06821328889,

TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

www.krmcorporation.com



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

-LOTO

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



Lock Tag!!

AUDIT C SERVICE:

LOCK TAR SUBMEY

KM Safetech Private Limited QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

GSTIN No.: 06AAECK2831L1ZI PAN No.: AAECK2831L

TIN No.: 06824000112 CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.lotoappliances.com

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.lockouttagouts.com | www.krr

www.krmloto.com

www.locktagindia.com

KRM - MOLDED FIRST AID BOX

KRM-K-MFAB

- Made of molded plastic material with foldable handle
- Bottom Size L 280 mm X W 125 mm X H 115 mm
- Top Overall Outer Size L 320 mm X W 155 mm X
- Overall Height 140 mm
- One Space to accommodate material
- Top transparent having different small pocket to keep contents
- One additional tray as shown in picture its optional Due to foldable handle, accommodate less storage space
- Easy to carry anywhere
- Color Orange/ Black/Yellow or Black/Yellow Combination





TIN No.: 06821328889, TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



KRM[™]

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

-LOTO

OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



Lock Tag!!



GSTIN No.: 06AAECK2831L1ZI

PAN No.: AAECK2831L TIN No.: 06824000112

CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

KRM MOLDED FIRST AID BOX – PORTABLE AS WELL AS WALL MOUNTED TYPE

KRM-K-MFAB-221

- First aid kit box is made of robust high grade ABS plastic.
- Size: 280x 200 x 115mm
- The kit consists of all first aids / medicines as per established medical norms to meet emergency situations.
- Color orange
- Carry able as well as wall mounted
- Box is available with or without items





GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q TIN No.: 06821328889,

TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

www.krmcorporation.com



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

-LOTO

OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



Lock Tag!!



GSTIN No.: 06AAECK2831L1ZI PAN No.: AAECK2831L

TIN No.: 06824000112 CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

KRM - METAL FIRST AID BOX

KRM-K-FAB-M-R

- Made from mild steel with duly phosphate
- powder coated.
- Front side Clear Fascia with border frame.
- Size 16" X 14" X 6"
- Provision of optional handle which make it's portable so that can be carried any where.
- Provision of pre drilled hole on back side to mount any other surface.
- One Adjustable shelves for placing the items.
- Shelves can be adjusted either ways up or down.
- One in built Lock and a knob to hold.
- Color Red,



TIN No.: 06821328889, TAN no.: RTKKO3359G IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

-LOTO

OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



Lock Tag!!

GSTIN No.: 06AAECK2831L1ZI PAN No.: AAECK2831L

TIN No.: 06824000112 CIN No.: U31903HR2011PTC042508

IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

KRM™

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM FIRST AID KIT BOX LOCKABLE TYPE (ABS + POLYCARBONATE)

- Made from ABS +Polycarbonate compositions material. It is moulded piece. Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- Size L-156 mm x W-156 mm, D-64mm with complete cover.
- Hole Dia.- 8.75mm
- Provision of maximum 5 in-built hook in box for group locking
- purpose.
- Anyone can lock box either with one or multiple padlock. Provision of a Small slot on the front side of the box
- Slot Size L-88mm, W-5.5mm
- Handle on the top/side of the box against specific requirement
- Provision of four pre drilled hole on back side of box to mount on any surface.
- Weight 260gms.
- STANDARD BASE COLOR- YELLOW, RED, GREEN OR AS PER REQUIRMENT,
- with front fascia transparent Polycarbonate

KKRM-K-FAKB



