


























KRM LOTO	KRM CORPORATION	KRM-LOTO SAFETY PRODUCTS		KM Safety Lock Private Limited
	GSTIN No.: 06AAVFW746Q126, PAN No.: AAVFW746Q TIN No.: 06ZTJ328489, TAd No.: KTKND33596 M: 08 91 3812 281 381, 080 544 881 Regd. Office: 1A/31-A, N.I.T, Faridabad-121061 (Haryana) www.krmcorporation.com	to compliance OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1915.209 Email: info@krmcorporation.com, krm@krmcorporation.com, wellnear@rediffmail.com www.lockouttagouts.com	www.safetyfoto.com www.lockoutmaster.com	GSTIN No.: 06AASC2831L121 PAN No.: AAEK2831L TIN No.: 06R24006112 CIN No.: u31903HR2011PTC042508 Telephone: 08 91 129 4001 381, 413 1381 (5) www.loboappiances.com

KRM LOTO - FIRST AID & PPE PRODUCTS INFORMATION FEB. 2018

S NO	KRM PART NO	BRIEF DESCRIPTION	IMAGE	Unit	Product Weight (approx)
First Aid Box					
1	KRM-K-FAKB	First Aid box Lockable type - (MADE OF ABS+POLYCARBONATE) SIZE : L- 156mmxW156mmxD64mm		no	260 gm
2	KRM-K-DMLTB-TFR-WM	KRM FIRST AID KIT BOX (ABS + POLYCARBONATE) - WITH CONTENT		no	500 gm
3	KRM-K-MLB-1	MOLDED LOCKOUT BOX WITHOUT MATERIAL Top Overall Outer Size – L 320 mm X W 155 mm X Overall Height 140 mm		no	1 kgs
4	KRM-K-FAKP-T	KRM FIRST Aid kit pouch (front transparent look)		no	150 gm
5	KRM-K-FAKP-T	KRM FIRST Aid kit pouch with contents		no	350 gm
7	KRM-K-FAKP	KRM FIRST Aid kit pouch		no	150 gm
8	KRM-K-FAKP	KRM FIRST Aid kit pouch with material		no	350 gm
9	KRM-K-FAB-M-R	First Aid box Lockable type - without material made of MS powder coated sheet with front side Transparent acrylic cover and lock . Size : 14" x 16" x 6"		no	4 kgs
10	KRM-K-TAFB	First Aid box made of 3mm thick acrylic sheet with front side transparent acrylic. Size : L - 285 x W-185 x D-100mm (+/-10%). With material		no	1.5 kgs

11	KRM-K-MFAB	Molded First Aid Box - Portable type without material		no	1 KG
PPE-Safety Helmet					
12	KRM-K-SH-RM	Safety Helmet - Ratchet type (to meet ISI Standard)		no	
13	KRM-K-SH-WRM	Safety Helmet - Without Ratchet (to meet ISI Standard)		no	
14	KRM-K-SH-WRM	Safety Helmet - Ratchet type (to meet ISI Standard)-with ventilation		no	
15	KRM-K-SH-WRM	Safety Helmet - Ratchet type (to meet ISI Standard)-without ventilation		no	
Safety Shower					
16	KRM-K-SES	Supply of Eye Safety Shower made of GI pipe with ABS bowl and eye bowl . Pipe is duty painted -- AS per ISI standard		no	
17	KRM-K-SES-WM	Supply of Wall mounted Safety Shower made of ABS / Plastic material accessory- AS per ISI standard		no	
18	KRM - K- CES-2	Supply of Complete Safety Shower made of GI pipe with Plastic / ABS accessories- AS per ISI standard		no	
19	KRM - K- CES-SS	Supply of Complete Safety Shower made of SS-304 grade material alongwith all accessories also made of 304 grade SS Material hand and manual operated		no	
20	KRM -K- ESP-SS	Supply of Safety Shower -eyes --- made of SS-304 grade material alongwith all accessories also made of 304 grade SS Material -Pedestal operation		no	
21	KRM -K-EWB	Supply of super quality Eye wash bottles		no	
RETRACTABLE WIRE					
23	KRM-K-PCGS-P5	RETRACTABLE WIRE ROPE FALL ARRESTER BLOCK PLASTIC CASING, WITH GALVANISED STEEL CABLE 05 mtr.S. LENGTH- CE marked EN 360		no	
24	KRM-K-PCGS-P10	RETRACTABLE WIRE ROPE FALL ARRESTER BLOCK PLASTIC CASING, WITH GALVANISED STEEL CABLE 10 mtr.S. LENGTH- - - CE marked EN 360		no	
Apron					
25	KRM-K-WLA	Supply of Welding Leather apron - size: 24" x 36, CE marked --- made of soft leather		no	
26	KRM-K-CAB	Supply of cotton apron - standard size - Blue colour- Non certified		no	
Sleeves					
27	KRM-K-CHS	Supply of cotton hand sleeves- non certified		pair	
28	KRM-K-HRHS	Supply of heat resistant hand sleeves		pair	
Acid Proof / Alkali suit					
29	KRM-K-AS	Acid Proof / Alkali suit- Certified DUPONT Product		no	
30	KRM-K-TS	Safety Tyvax Suit - Certified DUPONT Product		no	
31	KRM-K-PS-1	PVC apron suit - hood , pant and top - non certified		no	
32	KRM-K-PS-2	PVC apron suit - pant and top - non certified		no	
33	KRM-K-CS-1	Cooton suit - called dangri- Normal	Color-blue / orange	no	
34	KRM-FRS-1	Fire Retardent Cooton Suit	Color-blue / orange	no	

35	KRM-K-WLC	Supply of Welding Leather COAT with Full sleeve having pressed button - length 42". CE marked --- made of soft leather		no	
Breathing Apparatus Set					
36	KRM-K-BA	Breathing Apparatus Set With Carbon Composite Cylinder Model – SIGMA 2. Make: Scott, UK Approval : EN 137 Type 1 Sigma 2 Breathing Apparatus Set consist of following parts: Back Plate: Full Face Mask. Carbon Composite Cylinder. Back Plate Back plate is made of injection molded composite material which is ergonomically designed and is light in weight. The harness is made of flame retardant polyester material with quick release buckles. Pressure reducer, Low Pressure Hose with Lung Demand Valve, and High Pressure Hose with Pressure Gauge is installed on the Back Plate. The lung demand valve is very compact and as secured & is having easy to connect bayonet connection. The lung demand valve has hand free bypass knob for requirement of excess air during fire fighting operation The pressure gauge is having graduation in Bars and has red marking for escape time. The Pressure reducer is simple, fail safe, spring loaded miston type which is of low maintenance. Self contained High Performance Imported Breathing Apparatus. Model : Scott's Sigma 2 with Steel Cylinder CE Marked, SOLAS approval Capacity: 6ltr in 300 Pressure Bar (1800 Ltr.) CCE aprvd. Duration : 45 Minutes The Scott Sigma 2 Self Contained Breathing Apparatus combines the highest level of respiratory protection in a simple to operate, cost effective piece of equipment that meets the needs of Industrial and Marine users. Sigma 2's proven durability, reliability and appeal is confirmed by an extensive user base who demand a combination of maximum performance and true operational simplicity Along with Cylinder : Steel with 140mm(5.5") Dia Full Face Mask : Positive Pressure panaseal Facemask Demand Valve : First Breath activated , imported (with Hand Free By Pass) Pressure Reducing Valve and Cylinder connector Pressure Gauge and, whistle Back Plate : The Ergonomic injection mounded		no	
37	KRM-K-BA-WSC	Supply of single Gas detecting instrument - Oxygen gas -International CERTIFIED- 1) Oxygen Detector : Option I : ToxiRAE II Range : 0-30% by vol with 0.1% resolution		no	
Gas detector					
39	KRM-K-GDI-O-II	Supply of single Gas detecting instrument - Oxygen gas -International CERTIFIED-Option II Pro EC O2 with data logging Range : 0-30% by vol with 0.1% resolution		no	
40	KRM-K-GDI-CO-I	CO Detector Option I : Range : 0-500ppm with 1 ppm resolution		no	
41	KRM-K-GDI-CO-II	CO Detector Option II : EC CO with data logging Range : 0-500ppm with 1 ppm resolution		no	
42	KRM-K-MGDI-1	Multi gas Detection Instrument - Option I : Sensor : LEL and Oxygen , CO, H2S Measuring Range : LEL: 0-100% LEL with 1% resolution O2 : 0-30% by vol with 0.1% resolution CO : 0-1000ppm with 1 ppm resolution H2S: 0-100ppm with 0.1ppm resolution		no	

43	KRM-K-MGDI-2	<p>Option II :</p> <p>Sensor : LEL and Oxygen , CO, H2S</p> <p>Measuring Range :</p> <p>LEL: 0-100% LEL with 1% resolution O2 : 0-30% by vol with 0.1% resolution CO : 0-1000ppm with 1 ppm resolution H2S: 0-100ppm with 0.1ppm resolution</p>		no	
44	KRM-K-MGDI-3	Supply of Multigas meter for five gases - CO, CO2, O2,SONOX (SO,NO)-Make: RAE Systems, USA		no	
45	KRM-K-ABA-3	<ul style="list-style-type: none"> • Sensor : Semiconductor • Warm-up time : 15 seconds • Respond time : <8 seconds • Operating temperature range : -10 to +50 °C • Detection range : 0.00% - 0.20% BAC / 0.0 - 2.0 g/l • Result display : (% BAC & g/l) • Accuracy: +/-10% • Quick response and reset • Battery Indicator • Dimension: 104x40x18 mm 		no	
Alcohol breath analyzer					
46	KRM-K-ABA-3	Supply of Alcohol breath analyzer as per picture attached- CE marked		no	
47	KRM-K-ABA-2	Supply of Alcohol breath analyzer		no	
48	KRM-K-ABAP-1	Hand held, portable breath alcohol tester to check person's breath Alcohol concentration with reliable accuracy. This device can be connected with computer to logging data and a compact sized printer to print out the alcohol concentration, date and timelt has memory to store 2000 records, portable and modern design, real time clock display support, optional Bluetooth wireless mini printer to keep evidence of test results.Device features as per the attached file.		no	
WELDING FACE SHIELD					
49	KRM-K-WFS	Supply of WELDING FACE SHIELD- CE/EN certified		no	
50	KRM-K-FM -3M	Supply of Half Face mask - 3M		no	
51	KRM-K-FM -3M	Supply of Full Face mask - 3M		no	
52	KRM-K-C-FM -3M	Supply of Cartiridge of Face mask - 3M		no	
53	KRM-K-C-MGC -3M	Supply of Multigas Cartiridge used along with mask 7502. Order Pre filter(5N11), retainer(501) as well as holder(502)during ordering , Standard - NIOSH (AAD 37082)		no	
			Wind Sock		
54	KRM-K-WS	Supply of super quality Wind Sock - Single Bearing non certified		no	
55	KRM-K-WSF	Supply of super quality cost FABRIC ONLY for wind sock (normal)			
56	KRM-K-WSF	Supply of super quality cost FABRIC ONLY for wind sock (fluorescent)		no	
Goggles					
57	KRM-K-SG- C-3M	Supply of Chemical splash certified goggles - 3 M make with black frame made of Flame retardant headband having clear lens		no	
58	KRM-K-CSG	Supply of chemical splash protective goggle designed to be worn over spectacles.-certified		no	

59	KRM-K-SG--3M	Safety Goggle - OVERALL - 3M-1611		no	
60	KRM-K-SG-ASN	SPECTACLES TEMPLE FRAME WITH ADJUSTABLE TEMPLE LENGTH, ANTI-SLIP NOSE PAD WITH 99.9% UV PROTECTED SCRATCH & IMPACT RESIST ANTI FOG POLYCARBONATE CLEAR LENS IN BELT CASE. <small>166-2001</small> - CE Marked EN		no	
61	KRM-K-WG-FS	WELDING GOGGLES - CERTIFIED -foldable screen-CE/EN- certified		no	
62	KRM-K-WG-ST	WELDING GOGGLES- spectacle type- certified - CE/EN-certified		no	
63	KRM-K-CAFS	Supply of Virtua Plus Clear Antifog Spectacles for General usage- Grinding, dust area. . Standard - ANSI Z67.1 - 3M 11394		no	
64	KRM-K-CSG	Black Spatula / Clear spectacles (recommended) for Chemical resistance, Paint area, machining operations.- Standard - ANSI Z67.1 - 3M 12109 QX		no	
65	KRM-K-WG-S	Nassau Rave IR 5 Spectacles fitted with IR 5 polycarbonate lens with DX Coating used for Gas Welding Standard - ANSI Z67.1 - 3M 14460		no	
66	KRM-K-CS-AF	Light Vision Anti-Fog Clear Spectacles with dual hands free temple lighting swivel for bright directions of beams- fitted with clear polycarbonate lens for Flying object area, Mining, dark surrounded area Standard - ANSI Z67.1 - 3M 11356		no	
67	KRM-K-SG	Splash Goggle for Paint Booth, Chemical splash, liquid droplets Standard - ANSI Z67.1 - 3M 1621		no	
68	KRM-K-WG-MG	Maxim goggle, tiltable, working convenient for Welding operations. Chemical resistance.Standard CSA Z94.3-2007, ANSI Z87.1-2003 - 3M 13250		no	


SAFETY GLOVES

67	KRM-K-CG	Supply of Cotton gloves- non certified		pair	
68	KRM-K-PDG	Supply of Polka dotted gloves- one side palm dotted		pair	
69	KRM-K-LCG	Supply of Latex coating gloves - CE certified		pair	
70	KRM-K-CCG	Supply of Chemical gloves - Nitrile - CE Marked		pair	
71	KRM-K-HRG-KV	Heat Resistant knitted Kevlar make gloves- Certified		pair	
72	KRM-K-HRG-KV	Heat Resistant leather Kevlar make gloves- Certified		pair	








Electrica Safety Fire Blanket

73	KRM-K-FB-B-ENC	Fire Blanket Certified	 	no	
74	KRM-K-FB-B-EN	Fire Blanket normal quality	Certified	no	

Safety kit for cleaning ,Maintenance ,Tower,Confine, Space

75		K-651 WINDOW CLEANING KIT-BASIC Includes - 6 items Comprising K 51 (1 No.) K 401 (1 No.) K 950K (1 No.) K 112 (2 Nos.) in Kit Bag BG 20		no	
76		K-652 WINDOW CLEANING KIT-DELUXE Includes K 56 (1 No.) K 401 (1 No.) K 950K (1 No.) K 112 (2 Nos.) in Kit Bag BG 20		no	
77		K-653 MAINTENANCE & WINDOW CLEANING KIT Includes K 56 (1 No.) K 401 (1 No.) K 950K (1 No.) K 2000A (1 No.) K 950 (1 No.) K 806 Cow Tail (1 No.) BG 12 (1 No.) in Kit Bag BG 20		no	
78		K-654 RESCUE & MAINTENANCE KIT Includes K 56 (1 No.), K 401 (1 No.) K 950K (1 No.) K 2000A (1 No.) K 950 (1 No.) K 242 (1 No.) K 112 (3 Nos.) K 806 Cow Tail (2 Nos.) Cutter Knife in Kit Bag BG 20		no	
79		K-655 ROOFING KIT - REGULAR Includes K 42 (1 No.) K 242 (with 10 Mtr Rope) K 3000 (1 No.) K 803 (1 No.) BG 12 in Kit Bag BG 20		no	
80		K-656 ROOFING KIT - DELUXE Includes K 42 (1 No.) K-PCGS 10 (1 No.) K 3000 (1 No.) K 803 (1 No.) BG 12 in Kit Bag BG 20		no	
81		K-657 TOWER KIT - REGULAR Includes K 42 (1 No.) K 206 (Double) K 2000A (1 No.) K 950 (1 No.) K 241 (1 No.) BG 12 in Kit Bag BG 20		no	
82		K-658 TOWER KIT - DELUXE Includes K 56 (1 No.) K 351 (1 No.) K 2000A (1 No.) K 950 (1 No.) K 242 (1 No.) BG 12 in Kit Bag BG 20		no	
83		K-659 OIL TANKER & WAGON LOADER KIT Includes K-IHC 16 (1 No.) K 141 (1 No.) K-PCGS 06 (1 No.) in Kit Bag BG 20		no	
84		K-660 CONFINED SPACE ENTRY KIT Includes K 56 (1 No.) K 800 (1 No.) K 801 (1 No.) K-PCGS 10 K-BG 18 in Kit Bag BG 20		no	
Safety Harness					
85	KRM-K-PN-21K	FULL BODY HARNESS TO MEET EN 361 - WITH LANYARD		no	
86	KRM-K-PN 22 with PN 204 (2mtr.)	FULL BODY ADJUSTABLE HARNESS WITH TWO FRONT TEXTILE LOOPS, 2 mtr. Polyamide Lanyard & Hook PN 121	 CE MARKED EN361:2002	no	
87	KRM-K-PN 56 with PN 204 (2mtr.)	FULL BODY ADJUSTABLE WORK POSITIONING SIT HARNESS WITH PADDED LEG STRAP & SHOULDER STRAP, ONE VENTRAL D-RING, ONE STERNAL D-RING, ONE DORSAL ATTACHMENT D-RING, TWO LATERAL D-RINGS ON THE SIDES, 2 mtr. Polyamide Lanyard & Hook PN 121	 CE MARKED EN358 ,361 & 813	no	
ROPE DESCENDER					
88	KRM-K-PN 401	ROPE DESCENDER WITH SELF -BREAKING SYSTEM FOR ROPE DIA 10-11 mm (DOUBLE STOP) WITH HOOK PN 112	 CE MARKED EN341	no	
89	KRM-K-PN 2000(B)	FALL ARRESTER WITH ENERGY ABSORBER PN 300 & HOOK PN 112 (C) FOR ROPE NOT IN READY STOCK	 CE MARKED EN353-2:2002	no	

90	KRM-K-PN 2000(A)	FALL ARRESTER WITH HOOK PN 112 (C), FOR ROPE	CE MARKED EN353-2:2002 	no	
91	KRM-K-KRKD105	KARNA MENTAL ROPE (Dated) thickness 10.5mm - 30 MTS.		no	
92	KRM-K-PN 0252105	MESH SIZE 25mm, MESH ROPE 2mm (Double Cord), NET SIZE (10 mtr. X 5 mtr.)		no	
Ear Plug					
93	KRM-K-EP	Supply of Ear Plugs - without chord- certified-3M		pair	
94	KRM-K-EP-WC	Supply of Ear Plugs - with chord- certified= 3M		pair	
95	KRM-K-EP-WC-UF	Supply of Ear Plugs - with chord- Ultrafit certified-3M-1270		pair	
Ear Plug Dispensor					
96	KRM-K-EPD	Ear Plug Dispensor -Capacity of 300 EAR Plug - KARAM		no	
97	KRM-K-EPD-3M	Supply of 3M Ear Plug Dispensor, capacity of 2000 pairs- rate without ear plug s		no	
Ear Muff					
98	KRM-K-EM-3M	Supply of Ear muff - 3M Make - 1425/ 1426 model		no	
99	KRM-K-EM-9P-3M	Supply of Ear Muff Helmet Mount- To be used along with helmet. To be wearred during excessive noise environment. Will help to reduce noise level upto 23 DB - H9P3E - Standard: ANSI 53.19-1974		no	
100	KRM-K-EM-7A-3M	Supply of Ear Muff Optimum - To be wearred during excessive noise environment. Will help to reduce noise level upto 27 DB - H7A - Standard - ANSI 53.19-1974		no	
Safety Shoes					
101	KRM-K-DES	Di-electric/Electriaci Shoelnsulated hard Acrylic toe with Rubber Sole -- 20 KV-- certified-		pair	
102	KRM-K-S-ST-SSC	Supply of Allen copper shoe with steel toe- Single sole colour - As per ISI standard		pair	
103	KRM-K-S-ST-DSC	Supply of Allen copper shoe with steel toe- Double sole colour - As per ISI standard		pair	

Dust Mask					
104	KRM-K-DM-1-3M	Supply of Dust mask - 3M Make 8210 model		no	
105	KRM-K-DM-2-3M	Supply of Dust mask - 3M Make 9104model		no	
106	KRM-K-DM-3-3M	Supply of Dust mask - 3M Make 9102 model		no	
107	KRM-K-DM-1-V	VENUS V-44 YELLOW FFP1S VALVELESS		no	
108	KRM-K-DM-2-V	VENUS V-410 YELLOW FFP1S VALVELESS		no	
109	KRM-K-DM-4-3M	Supply of Dust mask - 3M Make 8822 model		no	
110	KRM-K-DM-5-3M	Supply of Dust mask - 3M Make 9913 model		no	
111	KRM-K-IFM	Face mask insulated from high voltage - Working with HV operations, avoid arc flash		no	
<u>TERMS AND CONDITIONS :</u>					
Note: - Product images are for reference, Color may vary at the time of delivery.					
Rate : F O R Faridabad,Haryana (INDIA),					
GST: Extra					
Payment : 100% advance					
Freight : Extra (Will be charged on the basis of either Gross Weight or Volumetric Weight which ever will be higher)					
Packing charges : Extra					
Custom charges : extra in client account					
Other duties : Extra, if applicable					