

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

Email: info@krmlo.com, info@krmcorporation.com, krmlo@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmlo.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION



KRM Corporation
Lockout Tagout



KRM Corporation
Electrical Safety
Products



KRM Corporation
TRAINING



KRM Corporation
Parking & Road
Safety Products



KRM Corporation
Signage & Tapes



KRM Corporation
Other Products



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmlo.com, info@krmcorporation.com, krmlo@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmlo.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



NOTE - STANDARD COLOR: YELLOW/RED, , Can make other color against requirement

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT**KRM LOTO**
SAFETY PRODUCTS
safe loto**LOCKOUT TAGOUT PADLOCK STATION**KRM LOTO
EXPERTCE
Certified**KRM CORPORATION**OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L121
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT**KRM LOTO**
SAFETY PRODUCTS
safe loto**LOCKOUT TAGOUT PADLOCK STATION**KRM LOTO
EXPERTCE
Certified**KRM CORPORATION**OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.comwww.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION - INDEX

Index Page No:-6

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
1	KRM-K-MPLH	KRM LOTO – MOLDED PADLOCK HOLDER	0.150	11-12
2	KRM-K-LTPS-CF-18152	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA-18152	4.5	13-14
3	KRM-K-PLTS-2S1J2P	KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-18152	4.5	15-16
4	KRM-K-PLTS-6BL1J2P	KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-BL-18152	4.5	17-18
5	KRM-K-LPSB-S	KRM LOTO - LOCKABLE PLASTIC STATION BOX SMALL WITHOUT MATERIAL	2.5	19-20
6	KRM-K-LPSB-B	KRM LOTO - LOCKABLE PLASTIC STATION BOX BIG WITHOUT MATERIAL	3.2	21-22
11	KRM-K-LLTPS-3752655	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-3752655	3.5	23-24
12	KRM-K-LLTPS-37590	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-37590	4.5	25-26

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION - INDEX

Index Page No:-7

13	KRM-K-OLLTS-J2-37590	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- 37590	4.5	27-28
14	KRM-K-LLTPS-375-1P	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-375-1p	4.5	29-30
15	KRM-K-OLLTS-J2P-37590	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- 37590	4.6	31-32
16	KRM-K-DLPS-3	KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156	8.5	33-34
17	KRM-K-DLPS-43	KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156	9.5	35-36
18	KRM-K-DLPS-34	KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156	9.5	37-38
19	KRM-K-DLPS-44	KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156	9.5	39-40
20	KRM-K-DLPS-DML-3	KRM LOTO DUAL LAYER LOCKOUT KEY STATION-WITH DISPLAY MESSAGE LAYER OPAQUE FASCIA-18153	8.5	41-42
21	KRM-K-LTPS-OF-18152-5S	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152-5S	5	43-44
22	KRM-K-LTPS-OF-18152-3S2M	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152	5	45-46
23	KRM-K-LTPS-OF-18152-1P	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152-1P	5	47-48
24	KRM-K-MPC-OFY-6J	KRM LOTO – LOCKOUT PADLOCK AND HASPS CABINET-OPAQUE FASCIA-18152	5	49-50
25	KRM-K-MPC-OFY-3S2J2P	KRM LOTO -MULTIPURPOSE PADLOCK STATION OPAQUE FASCIA-18152	5	51-52
26	KRM-K-MPC-27P	KRM LOTO-MULTIPURPOSE PADLOCK STATION 27 PADLOCK-18152	5	53-54
27	KRM-K-LPS-OF-7J	KRM LOTO – LOCKOUT PADLOCK STATION – OPAQUE FASCIA-18152-7	5	55-56
28	KRM-K-PCLS-Y	KRM LOTO-LOCKOUT TAGOUT STATION -16146	6.5	57-58

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION - INDEX

Index Page No:-8

29	KRM-K-Y-PCLS-P	KRM LOTO – LOCKOUT TAGOUT STATION-OPAQUE FASCIA-16146	7	59-60
30	KRM-K-LCGS-Y	KRM LOTO – LOCKOUT TAGOUT STATION WITH GROUP LOTO BOX	7.5	61-62
31	KRM-K-LLTPS-24152-R	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-RED-24152	5.5	63-64
32	KRM-K-LLTPS-24152-1P-R	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-RED-24152-1P	5.5	65-66
33	KRM-K-LLTPS-10SJ-24243	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-10SJ-24243	14	67-68
34	KRM-K-LLTPS-20J -24243	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-20J-24243	14	69-70
35	KRM-K-LLTPS-CF-30152	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION CLEAR FASCIA- 30152J	5.5	71-72
36	KRM-K-LLTPS-ABS-30152	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION CLEAR FASCIA- 30152A	5.5	73-74
37	KRM-K-LLTPS- MF-30152	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION - MESH FASCIA-30152	5.5	75-76
38	KRM-K-LLTPS-CF-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA -30156	10	77-78
39	KRM-K-LLTPS-CF-102P-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA -30156	10	79-80
40	KRM-K-LLTPS-MF-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- MESH FASCIA -30156	12	81-82
41	KRM-K-LLTPS-CF-30159	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA -30159	12	83-84
42	KRM-K-LLTPS-CF-102P-30159	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA -30159	14	85-86

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION - INDEX

Index Page No:-9

43	KRM-K-LTPS-CF-483612	KRM LOTO –LOCKOUT TAGOUT PADLOCK STATION-clear fascia-483612	40	87-88
44	KRM-K-LTPS-CF-48362	KRM LOTO –LOCKOUT TAGOUT PADLOCK STATION-clear fascia-48362	25	89-90
45	KRM-K-LTPS-CF-36362	KRM LOTO –LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA-36362		91-92
46	KRM-K-LTPS-64	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION-64	25	93-94
47	KRM-K-LTC-244812	KRM LOTO-MULTIPURPOSE PADLOCK STATION	26	95-96
48	KRM-K-LPS-CFG-15155-1	KRM LOTO – LOCKOUT PADLOCK STATION- CLEAR FASCIA- GREY-15155-1	0.650	97-98
49	KRM-K-LPS-CFY-151555-4	KRM LOTO – LOCKOUT PADLOCK STATION- CLEAR FASCIA- YELLOW -15155-4	0.650	99-100
50	KRM-K-LPST-PCF-Y15156-5-RED	KRM LOTO – LOCKOUT PADLOCK STATION- POLYCARBONATE CLEAR FASCIA	0.225	101-102
51	KRM-K-LPST-PCF-Y15156-5-YELLOW	KRM LOTO – LOCKOUT PADLOCK STATION- POLYCARBONATE CLEAR FASCIA	0.225	101-102
52	KRM-K-LPS-MFY-15155-4 -RED	KRM LOTO – LOCKOUT PADLOCK STATION-MESH FASCIA-15155-4	0.650	103-104
53	KRM-K-LPS-MFY-15155-4YELLOW	KRM LOTO – LOCKOUT PADLOCK STATION-MESH FASCIA-15155-4	0.650	103-104
54	KRM-K-LPS-MFR-225155	KRM LOTO – LOCKOUT PADLOCK STATION-MESH FASCIA-225155-4	1	105-106
55	KRM-K-LPS-MFY-225155	KRM LOTO – LOCKOUT PADLOCK STATION-MESH FASCIA-225155-4	1	105-106

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION - INDEX

Index Page No:-10

56	KRM-K-LLTPS-2251655	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-2251655	1.5	107-108
57	KRM-K-MLPKB-Y	KRM LOTO – DI ELECTRIC MULTIPURPOSE LOCKOUT PADLOCK / KEY BOX	0.150	109-110
58	KRM-K-MLPKB-G	KRM LOTO – DI ELECTRIC MULTIPURPOSE LOCKOUT PADLOCK / KEY BOX	0.150	109-110
59	KRM-K-MPC-30	KRM LOTO - MULTIPURPOSE PADLOCK CENTER/CABINET	4	111-112
60	KRM-K-MPC-20	KRM LOTO - MULTIPURPOSE PADLOCK CENTER/CABINET	3.5	113-114
61	KRM-K-MPC-12	KRM LOTO - MULTIPURPOSE PADLOCK CENTER/CABINET	3.5	115-116
62	KRM-K-LLCPC-T	KRM LOTO – LOCKABLE LOTO CARRY PERMIT CENTER / LOTO CARRY CENTER / LOTO PADLOCK CENTER	0.250	117-118
63	KRM-K-PLTS-12	KRM LOTO – ABS PADLOCK HOLDER	0.150	119-120
64	KRM-K-LPDS-6	KRM LOTO – PADLOCK STATION HOLDER	0.1	119-120
65	KRM-K-LPDS-12	KRM LOTO – PADLOCK STATION HOLDER	0.150	119-120
66	KRM-K-LPDS-18	KRM LOTO – PADLOCK STATION HOLDER	0.250	119-120

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – MOLDED PADLOCK HOLDER

- **Material** – Made of ABS material.
- Contains 12 holes for hanging padlocks and other LOTO items.
- **Size – Top Width – 130mm Bottom width- 180mm Height -130mm**
- Easy to handle and can carry on waist belt to make work hassle free.
- Can be carried on the waist belt with the hooks as shown in the image.
- **Weight** – 150 gm.
- **Color** – Red or as per BULK quantity



KRM-K-MPLH



KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2007GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com



LOCKOUT/TAGOUT

**KRM LOTO**
SAFETY PRODUCTS
safe loto**MOLDED PADLOCK HOLDER**CE
Certified**KRM-K-MPLH**

- **Material** – Made of ABS material.
- Contains 12 holes for hanging padlocks and other LOTO items.
- **Size** – Top **Width** - 130mm Bottom **Width** - 180 mm **Height** -130 mm
- Easy to handle and can carry on waist belt to make work hassle free.
- Can be carried on the waist belt with the hooks as shown in the image.
- **Weight** – 150 gm.
- **Color** – Red or as per BULK quantity

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.comwww.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AACPW8746Q126,
PAN No.: AACPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1331 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Metal J hook layer (1 layer having 17 no's hook). lock can place /hang after keep blank one j hook and can hang key / key chain ring in that blank hooks.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-LTPS-CF-18152 = 3 Layers of Metal j hook (27 Padlock can Hang)**
- **Note - Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note: Material design to be supply as per stock inventory.**



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

LOCKOUT/TAGOUT



LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA-18152

CE
Certified

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Metal J hook layer - (1 layer having 17 no's hook) lock can place /hang after keep blank one j hook and can hang key / key chain ring in that blank hooks.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- Weight – ±4.5 Kg
- Color – Yellow,/Grey/Red/Green or as per quantity required
- KRM-K-LTPS-CF-18152 = 3 Layers 17no's Metal j hook (27 Padlock can Hang)
- Note - Can also make combination of metal j hook 7/12/17 as per requirement
- Note - Material design to be supply as per stock inventory.

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- 2 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.
- 1 Metal J hook layer (1 layer having 7 no's hook). for provision lock /hasp
- 2 ABS Pocket keep loto tag and pen.
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-PLTS-2S1J2P= 2 ABS Slotted , and 1 layer 7 no's metal j hook (34 Padlock can Hang)**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note: Material design to be supply as per stock inventory.**



KRM-K-PLTS-2S1J2P

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT**KRM LOTO**
SAFETY PRODUCTS
safe loto**PORTABLE LOCKOUT TAGOUT STATION
-18152**CE
Certified**KRM-K-PLTS-2S1J2P**

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- 2 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.
- 1 Metal J hook layer (1 layer having 7 no's hook). for provision lock /hasp
- 2 ABS Pocket keep loto tag and pen.
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-PLTS-2S1J2P=** 2 ABS Slotted, and 1 layer 7 no's metal j hook (34 Padlock can Hang)
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** - Material design to be supply as per stock inventory.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-BL-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Yellow ABS hook With 6 small layers, consisting of 7 holes in a single layer to hang padlock/ other items.
- Can hang 4 Padlock in one layer to keep proper gap in between 2 locks
- 1 Metal J hook layer (1 layer having 7 no's hook). for provision lock /hasp
- One in-built Lock and a knob to hold.
- 2 ABS Pocket keep loto tag and pen.
- **Weight** – ± 4.5 Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-PLTS-6BL1J2P=6 BLK, and 1 Layers 7no's metal j hook (24 Padlock and 5 lockout hasp can Hang)**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**



KRM-K-PLTS-6BL1J2P

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2008

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

**KRM LOTO**
SAFETY PRODUCTS
safe loto**KRM-K-PLTS-6BL1J2P****PORTABLE LOCKOUT TAGOUT STATION-BL-18152**CE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Yellow ABS hook With 6 small layers, consisting of 7 holes in a single layer to hang padlock/ other items.
- Can hang 4 Padlock in one layer to keep proper gap in between 2 locks
- 1 Metal J hook layer (1 layer having 7 no's hook). for provision lock /hasp
- One in-built Lock and a knob to hold.
- 2 ABS Pocket keep loto tag and pen.
- **Weight** – ±4.5 Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-PLTS-6BL1J2P=6 BLK, and 1 Layers 7no's metal j hook(24 Padlock and 5 lockout hasp can Hang)**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement
- **Note** - **Material design to be supply as per stock inventory.**

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - LOCKABLE PLASTIC STATION BOX SMALL WITHOUT MATERIAL

- **Material** – Engineering grade material
- Front side Clear Fascia.
- **Size** - 406mmX315mm X 65mm.
- Provision of pre drilled hole on back side to mount any surface.
- With 5 ABS hooks to hang padlock / LOTO items.
- 1 ABS Pocket keep loto tag and pen
- Max-2 lock can put / hang on one hook as required
- Weight-2.5kg



KRM-K-LPSB-S

KRM CORPORATIONISO 9001:2008 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L121
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM LOTO**
SAFETY PRODUCTS
safe loto**KRM LOTO - LOCKABLE PLASTIC STATION BOX SMALL
WITHOUT MATERIAL**CE
Certified**KRM-K-LPSB-S**

- **Material** – Engineering grade material
- Front side Clear Fascia.
- **Size** – 406mm x 315mm x 65mm.
- Provision of pre drilled hole on back side to mount any surface.
- With 5 ABS hooks to hang padlock / LOTO items.
- 1 ABS Pocket keep loto tag and pen
- Max 2 lock can put / hang on one hook as required
- **Weight** – 2.5kg

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.comwww.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 and 1910.269GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRMOEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269**Lock Tag!**

www.locktagindia.com

safe loto**KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2008

GSTIN No.: 06AAECK2831L121
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM LOTO**
SAFETY PRODUCTS
safe lotoCE
Certified**KRM LOTO - LOCKABLE PLASTIC STATION BIG
WITHOUT MATERIAL****KRM-K-LPSB-B**

- **Material** – Engineering grade material
- Front side Clear Fascia.
- **Size** – 565mm x 405mm x 65mm.
- Provision of pre drilled hole on back side to mount any surface.
- With 10 ABS hooks to hang padlock / LOTO items.
- 2 ABS Pocket keep loto tag and pen
- Max 2 lock can put / hang on one hook as required
- **Weight** – 3.2 kg

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM SLOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2007OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT**KRM SLOTO**
SAFETY PRODUCTS
safe loto**KRM-K-LLTPS-3752655****LOCKABLE LOCKOUT TAGOUT PADLOCK STATION
-3752655**CE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Clear Fascia with border frame.
- **Size** – 375mm x 265mm x 50mm
- Provision of pre drilled hole on back side to mount any other surface.
- 3 Layers of Metal J Type hook (1 layer having 12 no's hook). One lock & key separately can place /hang on alternate hook.
- 6 padlock can hang individually in one metal layer of 12 hooks.
- Maximum 2 lock can put / hang on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 3.5 kg
- **Color** – Red or Grey, rest colour as per Quantity.
- **KRM-K-LLTPS-3752654** = 3 Layers of Metal J hook – For 18 padlocks.
- **Note** - Can also make combination of metal j hook 7/12 + provision of holes for ABS pocket (if require) to keep tags etc.
- **Note** - **Material design to be supply as per stock inventory.**

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.comwww.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-37590 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size in mm** – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 kg
- **Color** – Yellow or as per volume required.
- **KRM-K-LLTPS-37590 = 3 Layers of Metal J hook (27 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note: material design to be supply as per stock inventory.**



KRM-K-LLTPS-37590

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com
KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT


KRM LOTO
SAFETY PRODUCTS
safe loto
**KRM-K-LLTPS-37590**
LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-37590
(to keep multipurpose loto items)
CE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Clear Fascia with border frame.
- **Size** – 375mm x 375mm x 92.5mm
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 kg
- **Color** – Yellow or as per volume required.
- **KRM-K-LLTPS-37590 = 3 Layers 17no's Metal j hook(27 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – Material design to be supply as per stock inventory.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- 37590 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size in mm** – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 2 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-OLLTS-J2-37590 = 2 Layers of Metal j hook(18 Padlock can Hang)**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**

- **Note: Material design to be supply as per stock inventory.**

KRM-K-OLLTS-J2-37590



KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

**KRM LOTO**
SAFETY PRODUCTS
safe loto**KRM-K-OLLTS-J2-37590****LOCKABLE LOCKOUT PADLOCK STATION-37590**
(to keep multipurpose loto items)CE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Clear Fascia with border frame.
- **Size** – 375mm X 375mm X 92.5mm
- **Provision of pre drilled hole** on back side to mount any other surface.
- **Metal J Type hook / slots** to hang padlocks in the station.
- **2 Layers of Metal J Type hook** (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- **9 padlock** can hang individually in one metal layer of 17 hooks.
- **2 lock** can put / hag on one hook as per requirement
- **One in-built Lock** and a knob to hold.
- **Weight** – ± 4.5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-OLLTS-J2-37590 = 2 Layers of Metal j hook(18 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – Material design to be supply as per stock inventory.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 0682132889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-375-1P (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame
- **Size in mm** – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 1 ABS Pocket keep loto tag and pen.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-375-1P = 2 Layers 17no's and 1 Layer 12no's Metal j hook (24 Padlock can Hang)**
- **Note - Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note: material design to be supply as per stock inventory.**



KRM-K-LLTPS-375-1P

KRM CORPORATIONISO 9001:2007, ISO 14001:2015, ISO 45001:2018
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2015



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

KRM LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-LLTPS-375-1P**

LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-375-1P (to keep multipurpose loto items)

CE
Certified

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 375mm X 375mm X 92.5mm
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 1 ABS Pocket keep loto tag and pen.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- Weight – +4.5 kg
- Color – Yellow or as per quantity required.
- **KRM-K-LLTPS-375-1P = 2 Layers 17no's and 1 Layer 12no's Metal J hook (24 Padlock can Hang)**
- Note - Can also make combination of metal J hook 7/12/17 as per requirement.
- Note – Material design to be supply as per stock inventory.

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- 37590 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size in mm** – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- 2 ABS Pocket keep loto tag and pen.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-OLLTS-J2P-37590 = 2 Layers 17no's and 1Layer 7no's Metal j hook(22 Padlock can Hang)**
- **Note - Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note - Material design to be supply as per stock inventory.**



KRM-K-OLLTS-J2P-37590

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

safe loto

**KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

**KRM-LOTO**
SAFETY PRODUCTS
safe loto**KRM-K-OLLTS-J2P-37590****LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-37590**
(to keep multipurpose loto items)CE
Certified

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size in mm – 375mm x 375mm x 92.5mm
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Metal J Type hook layer – 17 & 7 nos. in one layer, lock can place /hang after keep blank one j hook and can hang key / key chain ring in that blank hook.
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- 2 ABS Pocket keep loto tag and pen.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- Weight – ±4.5 kg
- Color – Yellow or as per quantity required.
- KRM-K-OLLTS-J2P-37590 = 2 Layers 17no's and 1 Layer 7no's Metal j hook (22 Padlock can Hang)
- Note - Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156

- **Material-** Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 12 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ± 9.5 kg
- **Color** – Grey or as per quantity required.
- Three Metal J Type hook/slots on each side of station to hang loto items.
- **KRM-K-DLPS-3 =12 Layers 17no's Metal j hook(108 Padlock can Hang)**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**
- **NOTE : PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS**



KRM-K-DLPS-3

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com
KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT


KRM LOTO
SAFETY PRODUCTS
safe loto
**KRM-K-DLPS-3**
DUAL LAYER LOCKOUT PADLOCK STATION
-3 OPAQUE FASCIA-18156
CE
Certified

- Material- Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- Size – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 12 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- Weight – ± 9.5 kg
- Color – Grey or as per quantity required.
- Three Metal J Type hook/slots on each side of station to hang loto items.
- **KRM-K-DLPS-3 =12 Layers 17no's Metal j hook(108 Padlock can Hang)**
- **Note – Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note – PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS**

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156

- **Material**- Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 8 Layers of Metal J Type hook (1 layer having 17 no's hook). and other 6 layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 2 lock can put / hag on one hook as per requirement
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ± 9.5 kg
- **Color** – Grey or as per quantity required.
- 14 Metal J Type hook/slots on each side of station to hang loto items.
- **KRM-K-DLPS-43 =8 Layers 17no's and 6 Layer 12no's Metal j hook(108 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **NOTE : PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS .**



KRM-K-DLPS-43

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**LOCKTAG****Lock Tag!****safe loto****K&M Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM-LOTO**
SAFETY PRODUCTS
safe loto**KRM-K-DLPS-43****KRM LOTO – DUAL LAYER LOCKOUT PADLOCK
STATION-3 OPAQUE FASCIA-18156**CE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 8 Layers of Metal J Type hook (1 layer having 17 no's hook). and other 6 layer having 12 no's hook. One lock & key / key chain separately can place / hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks. 2 lock can put / hang on one hook as per requirement
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – + 9.5 kg
- **Color** – Grey or as per quantity required.
- 14 Metal J Type hook/slots on each side of station to hang loto items.
- **KRM-K-DLPS-43 = 8 Layers 17no's and 6 Layer 12no's Metal j hook (108 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**K&M Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156

- **Material**- Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). and other 8 layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks. 2 lock can put / hag on one hook as per requirement
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ± 9.5 kg
- **Color** – Grey or as per quantity required.
- 14 Metal J Type hook/slots on each side of station to hang loto items.
- **KRM-K-DLPS-34 =6 Layers 17no's and 8 Layer 12no's Metal j hook(102 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **NOTE : PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS**



KRM-K-DLPS-34

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM SLOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT



KRM-LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-DLPS-34**

KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156

CE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). and other 8 layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks. 2 lock can put / hag on one hook as per requirement
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ± 9.5 kg
- **Color** – Grey or as per quantity required.
- 14 Metal J Type hook/slots on each side of station to hang loto items.
- **KRM-K-DLPS-34** = 6 Layers 17no's and 8 Layer 12no's Metal j hook (102 Padlock can Hang)
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS

KRM CORPORATIONOSHA'S 19001-2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156

- **Material-** Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 8 Layers of Metal J Type hook (1 layer having 17 no's hook). and other 6 layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks. 2 lock can put / hag on one hook as per requirement
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ± 9.5 kg
- **Color** – Grey or as per quantity required.
- 16 Metal J Type hook/slots on each side of station to hang loto items.
- **KRM-K-DLPS-44 =8 Layers 17no's and 8 Layer 12no's Metal j hook(120 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **NOTE : PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS**



KRM-K-DLPS-44

KRM CORPORATIONISO 9001:2007 & ISO 14001:2004 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2007

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM-LOTO**
SAFETY PRODUCTS**safe loto****KRM-K-DLPS-44**

KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156

CE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Opaque fascia with border frame.
- **Size** – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- **Metal J Type hook / slots** to hang padlocks in the station.
- 8 Layers of Metal J Type hook (1 layer having 17 no's hook) and other 6 layer having 12 no's hook. One lock & key / key chain separately can place / hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks. 2 lock can put / hang on one hook as per requirement
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ± 9.5 kg
- **Color** – Grey or as per quantity required.
- 16 Metal J Type hook/slots on each side of station to hang loto items.
- **KRM-K-DLPS-44 = 8 Layers 17no's and 8 Layer 12no's Metal j hook (120 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO DUAL LAYER LOCKOUT KEY STATION-WITH DISPLAY MESSAGE LAYER OPAQUE FASCIA-18153

- **Material-** Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 3"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- One movable Layer for display Message.
- **Weight** – ± 8.5 kg
- **Color** – Grey or as per quantity required.
- 6 Metal J Type hook/slots on each side of station to hang loto items.
- **KRM-K-DLPS-DML-3 = 6 Layers 17no's Metal j hook(54 Padlock can Hang)**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**
- **NOTE : PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS**

KRM-K-DLPS-DML-3



KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

**KRM LOTO**
SAFETY PRODUCTS
safe loto**KRM LOTO DUAL LAYER LOCKOUT KEY STATION-
WITH DISPLAY MESSAGE LAYER OPAQUE FASCIA-18153**CE
Certified**KRM-K-DLPS-DML-3**

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Opaque fascia with border frame.
- **Size** – 18" X 15" X 3"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- One movable Layer for display Message.
- **Weight** – ±8.5 kg
- **Color** – Grey or as per quantity required.
- 6 Metal J Type hook/slots on each side of station to hang loto items.
- **KRM-K-DLPS-DML-3 = 6 Layers 17no's Metal j hook(54 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152-5S

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- 5 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer& .
- 1 Layers of Metal J Type hook One lock & key / key chain separately can place /hang on alternate hook
- 9 padlock can hang individually in one metal layer of 17 hooks.
- One in-built Lock and a knob to hold.
- **Weight** – ± 5.5 Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-LTPS-OF-18152-5S =5 ABS SLOTTED & 1 Layers 17no's Metal j hook (84 Padlock can Hang)**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-LTPS-OF-18152-5S

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2007



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

KRM LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-LTPS-OF-18152-5S****LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152-5S**

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side Opaque Fascia** with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- 5 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.
- One in-built Lock and a knob to hold.
- **Weight** – ± 5 Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-LTPS-OF-18152-5S = 5 ABS SLOTTED (75 Padlock can Hang)**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.

KRM LOTO
EXPERTCE
Certified**KRM CORPORATION**OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- 3 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.
- 2 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- One in-built Lock and a knob to hold.
- **Weight** – ± 5 Kg
- Color– Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-LTPS-OF-18152-3S2M=3 ABS Slotted & 2 Layers 17 no's, Metal j hook (63 Padlock can Hang)**
- **Note - Can also make combination of metal j hook 7/12/17 as per requirement.**



KRM-K-LTPS-OF-18152-3S2M

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

**KRM LOTO**
SAFETY PRODUCTS
safe loto**LOCKOUT TAGOUT PADLOCK STATION
- OPAQUE FASCIA-18152**CE
Certified**KRM-K-LTPS-OF-18152-3S2M**

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Opaque Fascia with border frame.
- **Size** – 18" X 15" X 2"
- **Provision** of pre drilled hole on back side to mount any other surface.
- **3 ABS Slotted layer** to keep loto items, can hang 15 locks in a single layer.
- **2 Layers of Metal J Type hook** (1 layer having 17 no's hook). One lock & key/key chain separately can place/hang on alternate hook.
- **9 padlock** can hang individually in one metal layer of 17 hooks.
- **One in-built Lock** and a knob to hold.
- **Weight** – ± 5 Kg
- **Color** – Yellow/Grey/Red/Green or as per quantity required
- **KRM-K-LTPS-OF-18152-3S2M=3 ABS Slotted & 2 Layers 17 no's, Metal j hook (63 Padlock can Hang)**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152-1P

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15 X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 2 lock can put / hang on one hook as per requirement
- 1 ABS Pocket keep loto tag and pen.
- One in-built Lock and a knob to hold.
- **Weight** – ± 5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LTPS-OF-18152-1P=2 Layers 17no's and 1 Layer 12no's Metal j hook (24 Padlock can Hang)**
- **Note - Can also make combination of metal j hook 7/12/17 as per requirement.**



KRM-K-LTPS-OF-18152-1P

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

KRM LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-LTPS-OF-18152-1P**

LOCKOUT TAGOUT PADLOCK STATION - OPAQUE FASCIA-18152-1P

CE
Certified

- Material – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- Size – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place / hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 2 lock can put / hang on one hook as per requirement
- 1 ABS Pocket keep loto tag and pen.
- One in - built Lock and a knob to hold.
- Weight – + 5 kg
- Color – Yellow or as per quantity required.
- **KRM-K-LTPS-OF-18152-1P=2 Layers 17no's and 1 Layer 12no's Metal j hook (24 Padlock can Hang)**
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK AND HASPS CABINET-OPAQUE FASCIA-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15 X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-MPC-OFY-6J = 6 Layers 17no's Metal j hook(54 Padlock can Hang or can put hasp as require -17 no in one layer)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-MPC-OFY-6J

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2007OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

**KRM LOTO**
SAFETY PRODUCTS
safe loto**LOCKOUT PADLOCK AND HASPS CABINET -
OPAQUE FASCIA-18152**CE
Certified**KRM-K-MPC-OFY-6J**

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Opaque fascia with border frame.
- **Size** – 18" X 15 X 2"
- **Provision** of pre drilled hole on back side to mount any other surface.
- **Metal J Type hook / slots** to hang padlocks in the station.
- **6 Layers** of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place / hang on alternate hook
- **9 padlock** can hang individually in one metal layer of 17 hooks.
- **2 lock** can put / hag on one hook as per requirement
- **One in-built Lock** and a knob to hold.
- **Weight** – ± 5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-MPC-OFY-6J = 6 Layers 17no's Metal j hook (54 Padlock can Hang or can put hasp as require - 17 no in one layer)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 0682132889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO-MULTIPURPOSE PADLOCK STATION OPAQUE FASCIA-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size**–18" X 15 X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- 3 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.
- 3 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key separately can place /hang on alternate hook
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- 2 ABS Pocket keep loto tag and pen.
- 2 lock can put / hag on one hook as per requirement .
- One in-built Lock and a knob to hold.
- **Weight** – ± 5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-MPC-OFG-3S2J2P =3 ABS Slotted and 2 Layers 17no's and 1 Layer 7no's Metal j hook (65 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-MPC-OFG-3S2J2P

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT



KRM LOTO
SAFETY PRODUCTS
safe loto

MULTIPURPOSE PADLOCK STATION OPAQUE FASCIA-18152

CE
Certified**KRM-K-MPC-OFG-3S2J2P**

- Material – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- Size – 18" X 15 X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- 3 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.
- 3 Layers of Metal J Type hook - 1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key separately can place / hang on alternate hook
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- 2 ABS Pocket keep loto tag and pen.
- 2 lock can put / hang on one hook as per requirement.
- One in-built Lock and a knob to hold.
- Weight – ± 5 kg
- Color – Yellow or as per quantity required.
- **KRM-K-MPC-OFG-3S2J2P = 3 ABS Slotted and 2 Layers 17no's and 1 Layer 7no's Metal j hook (65 Padlock can Hang)**
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO-MULTIPURPOSE PADLOCK STATION 27 PADLOCK-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15 X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement .
- One in-built Lock and a knob to hold.
- **Weight** – ± 5 kg
- **Color** – Grey or as per quantity required.
- **KRM-K-MPC-27P= 3 Layers 17no's Metal j hook (27 Padlock can Hang)**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-MPC-27P

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT**KRM LOTO**
SAFETY PRODUCTS
safe loto**KRM-K-MPC-27P****MULTIPURPOSE PADLOCK STATION 27
PADLOCK-18152**CE
Certified

- Material – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- Size – 18" X 15 X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/ key chain separately can place /hang on alternate hook
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement.
- One in-built Lock and a knob to hold.
- Weight – ± 5 kg
- Color – Grey or as per quantity required.
- **KRM-K-MPC-27P= 3 Layers 17no's Metal j hook (27 Padlock can Hang)**
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.comwww.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION – OPAQUE FASCIA-18152-7

- **Material-** Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 7 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement .
- One in-built Lock and a knob to hold.
- **Weight** – ± 5 kg
- **Color** – Grey or as per quantity required.
- **KRM-K-LPS-OF-7J= 7 Layers 17no's Metal j hook (63 Padlock can Hang)**
- **Note - Can also make combination of metal j hook 7/12/17 as per requirement.**



KRM-K-LPS-OF-7J

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2007



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

LOCKOUT PADLOCK STATION – OPAQUE FASCIA

-18152-7

CE
Certified**KRM-K-LPS-OF-7J**

- **Material**- Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 7 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement.
- One in-built Lock and a knob to hold.
- **Weight** – ±5 kg
- **Color** – Grey or as per quantity required.
- **KRM-K-LPS-OF-7J= 7 Layers 17no's Metal j hook (63 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO-LOCKOUT PADLOCK STATION -16146


- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** –16" X 14 X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 1 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement .
- One Adjustable shelves for placing the items
- One in-built Lock and a knob to hold.
- **Weight** – ± 6.5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-PCLS-Y= 1Layer Metal j hook (9 Padlock can Hang)**
- **KRM-K-PCLS-R= 1Layer Metal j hook (9 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note: Material design to be supply as per stock inventory.**



KRM-K-PCLS-R



KRM-K-PCLS-Y



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



KRM-K-PCLS-Y

KRM-K-PCLS-R

KRM LOTO - LOCKOUT PADLOCK STATION -16146

CE
Certified

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 16" X 14 X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 1 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place / hang on alternate hook
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement .
- One Adjustable shelves for placing the items
- One in-built Lock and a knob to hold.
- Weight – ± 6.5 kg
- Color – Yellow or as per quantity required.
- KRM-K-PCLS-Y= 1Layer Metal j hook (9 Padlock can Hang)
- KRM-K-PCLS-R= 1Layer Metal j hook (9 Padlock can Hang)
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.
- Note – Material design to be supply as per stock inventory.

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION-OPAQUE FASCIA-16146 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size**–16" X 14 X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 1 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement .
- One Adjustable shelves for placing the items
- One in-built Lock and a knob to hold.
- **Weight** – **+7** kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-Y-PCLS-P/KRM-K-R-PCLS-P**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-Y-PCLS-P



KRM-K-G-PCLS-P KRM-K-R-PCLS-P

KRM CORPORATIONISO 9001:2007, ISO 14001:2004, ISO 45001:2018, ISO 9001:2015
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2015



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

KRM LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-Y-PCLS-P****KRM-K-G-PCLS-P****KRM-K-R-PCLS-P**

LOCKOUT PADLOCK STATION-OPAQUE FASCIA-16146

(to keep multipurpose loto items)

CE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Opaque fascia with border frame.
- **Size** – 16" X 14 X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 1 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place / hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement .
- One Adjustable shelves for placing the items
- One in-built Lock and a knob to hold.
- **Weight** – ± 7.5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-Y-PCLS-P/KRM-K-R-PCLS-P**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT STATION WITH GROUP LOTO BOX

- **Material-** Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 16" X 14" X 6" + 4" X 14" X 6"
- Having provision of slots on the top layer to drop key or document after locking.
- Provision of optional handle which make it portable so that can be carried any where.
- Provision of pre drilled hole on back side to mount any other surface.
- Three Adjustable shelves for placing the items. Shelves can be adjusted either ways up or down.
- One slider covered block as an additional advantage to the station that can be used to store LOTO items as well as can be used for group locking.
- One in-built Lock and a knob to hold.
- **Weight** – ± 6 kg
- **KRM-K-LCGS-Y**
- **Color** – Yellow, Red or as per quantity required.
- **Note: Material design to be supply as per stock inventory.**



KRM-K-LCGS-Y

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2008

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com


KRM LOTO
SAFETY PRODUCTS
safe loto

KRM LOTO – LOCKOUT TAGOUT STATION WITH GROUP LOTO BOX

CE
Certified**KRM-K-LCGS-Y**

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Clear Fascia with border frame.
- **Size** – 16" X 14" X 6" + 4" X 14" X 6"
- Having provision of slots on the top layer to drop key or document after locking.
- Provision of optional handle which make it portable so that can be carried any where.
- Provision of pre drilled hole on back side to mount any other surface.
- Three Adjustable shelves for placing the items. Shelves can be adjusted either ways up or down.
- One slider covered block as an additional advantage to the station that can be used to store LOTO items as well as can be used for group locking.
- One in-built Lock and a knob to hold.
- **Weight** – ±7.5 kg
- **KRM-K-LCGS-Y**
- **Color** – Yellow, Red or as per quantity required.
- **Note** – Material design to be supply as per stock inventory.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)

KM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-RED-24152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 24"X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 5 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One /Two in-built Locks and a knob to hold.
- **Weight** – ± 5.5 kg
- **Color** – Red or as per quantity required.
- **KRM-K-LLTPS-24152-R =5 Layers of Metal j hook (45 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-LLTPS-24152-R

GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA
www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



KRM-K-LLTPS-24152-R

LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-RED-24152

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 24"X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 5 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key /key chain separately can place /hang on alternate hook
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One /Two in-built Locks and a knob to hold.
- Weight – ± 5.5 kg
- Color – Red or as per quantity required.
- **KRM-K-LLTPS-24152-R = 5 Layers of Metal j hook (45 Padlock can Hang)**
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.

CE
Certified

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAPW8746Q
TIN No.: 06821328889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-RED-24152-1P

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 24"X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 5 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 12 no's hook. One lock & key separately can place /hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 1 ABS Pocket keep loto tag and pen.
- One /Two in-built Locks and a knob to hold.
- **Weight** – ± 5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-24152-1P-R= 4 Layers 17no's and 1 Layer 12no's Metal j hook(42 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-LLTPS-24152-1P-R

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com
KRM**KRM LOTO****Lock Tag!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2008

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269www.lotoappliances.com

GSTIN No.: 06AAECK2831L121
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT



KRM LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-LLTPS-24152-1P-R**

LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-RED-24152-1P-R

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 24"X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 5 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 12 no's hook. One lock & key separately can place /hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 1 ABS Pocket keep loto tag and pen.
- One /Two in-built Locks and a knob to hold.
- Weight – ±5 kg
- Color – Yellow or as per quantity required.
- **KRM-K-LLTPS-24152-1P-R = 4 Layers 17no's and 1 Layer 12no's Metal j hook (42 Padlock can Hang)**
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM LOTO
EXPERTCE
Certified**KRM CORPORATION**OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-10SJ-24243

- **Material-** Mild / CR Steel sheet with duly phosphate powder coated.
- Front side Opaque fascia
- **Overall Size** – 24" X 24" X 3"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 10 ABS Slotted layer to hang padlocks / hasp /loto items, Can hang maximum 15 locks in a single layer.
- 10 Layers of Metal J Type hook (1 layer having 12 no's hook). One lock & key / key chain separately can place /hang on alternate hook only.
- 6 padlock individually can hang on alternate hook in one metal layer of 12 hooks.
- 2 lock can put / hang on one Metal j hook only , if require .
- One in-built Locks and a knob to hold.
- **Net Weight** – ± 13 kg
- **Gross weight** – 14kg
- **Color** – Red . Any color can make on volume basis .
- **KRM-K-LLTPS-10SJ-24243 =10 ABS Slotter & 10 Layers 12no's Metal j hook (Max capacity of individual lock on hook :210 Padlocks)**
- **NOTE : PADLOCKS HANG ON ALTERNATE HOOK only.**



KRM-K-LLTPS-10SJ-24243

image only for reference

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**LOCKOUT TAGOUT****Lock Tag!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2008



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM-LOTO**
SAFETY PRODUCTS**safe loto**

LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-10SJ-24243

CE
Certified**KRM-K-LLTPS-10SJ-24243**

- Material – Mild / CR Steel sheet with duly phosphate powder coated.
- Front side Opaque fascia
- Overall Size – 24" X 24" X 3"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 10 ABS Slotted layer to hang padlocks / hasp / loto items, Can hang maximum 15 locks in a single layer.
- 10 Layers of Metal J Type hook (1 layer having 12 no's hook). One lock & key / key chain separately can place / hang on alternate hook only.
- 6 padlock individually can hang on alternate hook in one metal layer of 12 hooks.
- 2 lock can put / hang on one Metal j hook only, if require.
- One in-built Locks and a knob to hold.
- Net Weight – ± 13 kg
- Gross weight – 14kg
- Color – Red. Any color can make on volume basis.
- **KRM-K-LLTPS-10SJ-24243 = 10 ABS Slotter & 10 Layers 12no's Metal j hook**
(Max capacity of individual lock on hook :210 Padlocks)
- NOTE – **PADLOCKS HANG ON ALTERNATE HOOK only.**

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-20J-24243

- **Material-** Mild / CR Steel sheet with duly phosphate powder coated.
- Front side Opaque fascia .
- **Overall Size** – 24" X 24" X 3"
- Provision of pre drilled hole on back side to mount any other surface.
- 10 Layers of Metal J Type hook (1 layer having 17 no's hook). + 10 layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook only .
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 2 lock can put / hang on one hook if require .
- One in-built Locks and a knob to hold.
- **Net Weight** – ± 13 kg
- **Gross Weight** – 14kg
- **Color** – Red . Any color can make on volume basis
- **KRM-K-LLTPS-20J-24243=10 Layers 17no's and 10 Layer 12 no's Metal j hook (Max capacity of individual lock on hook : 150 Padlocks), if 2 locks on one hook , in that case capacity will be 300 padlocks**
- **NOTE : PADLOCKS HANG ON ALTERNATE HOOK only.**



KRM-K-LLTPS-20J -24243

image only for reference

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**LOCKOUT TAGOUT****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



KRM-LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-LLTPS-20J -24243**

LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-20J-24243

CE
Certified

- **Material** – Mild / CR Steel sheet with duly phosphate powder coated.
- **Front side** Opaque fascia .
- **Overall Size** – 24" X 24" X 3"
- Provision of pre drilled hole on back side to mount any other surface.
- 10 Layers of Metal J Type hook (1 layer having 17 no's hook). + 10 layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook only .
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 2 lock can put / hang on one hook if require .
- One in-built Locks and a knob to hold.
- **Net Weight** – ±13 kg
- **Gross Weight** – 14kg
- **Color** – Red or any color can make on volume basis
- **KRM-K-LLTPS-20J-24243 = 10 Layers 17no's and 10 Layer 12 no's Metal j hook (Max capacity of individual lock on hook : 150 Padlocks), if 2 locks on one hook , in that case capacity will be 300 padlocks**
- **NOTE : PADLOCKS HANG ON ALTERNATE HOOK only.**

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION CLEAR FASCIA- 30152J

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One /Two in-built Locks and a knob to hold.
- **Weight** – ± 5.5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-CF-30152= 6 Layers 17no's Metal j hook (54 Padlock can Hang)**
- **Note - Can also make combination of metal j hook 7/12/17 as per requirement.**



KRM-K-LLTPS-CF-30152

GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L121
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



KRM-K-LLTPS-CF-30152

LOCKABLE LOCKOUT TAGOUT PADLOCK STATION CLEAR FASCIA- 30152J

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One /Two in-built Locks and a knob to hold.
- **Weight** – ±5.5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-CF-30152= 6 Layers 17no's Metal j hook (54 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – Material design to be supply as per stock inventory.

KRM LOTO
EXPERT

CE
Certified

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION CLEAR FASCIA- 30152A

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- 6 Layer of ABS slotted to keep loto items, can hang 15 locks in a single layer.
- Can also make combination of 7/12/17 hook as per requirement
- One / Two in-built Lock and a knob to hold.
- **Weight** – ± 5.5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-ABS-30152= 6 ABS SLOTTED (90 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-LLTPS-ABS-30152

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2007



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT



KRM LOTO
SAFETY PRODUCTS
safe loto

LOCKABLE LOCKOUT TAGOUT PADLOCK STATION CLEAR FASCIA- 30152A

KRM LOTO
EXPERTCE
Certified**KRM-K-LLTPS-ABS-30152**

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 30" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- 6 Layer of ABS slotted to keep loto items, can hang 15 locks in a single layer.
- Can also make combination of 7/12/17 hook as per requirement
- One / Two in-built Lock and a knob to hold.
- Weight – +5.5 kg
- Color – Yellow or as per quantity required.
- **KRM-K-LLTPS-ABS-30152 = 6 ABS SLOTTED (90 Padlock can Hang)**
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.
- Note – Material design to be supply as per stock inventory.

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION - MESH FASCIA-30152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Mesh Fascia with border frame.
- **Size** – 30" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One / Two in-built Lock and a knob to hold.
- **Weight** – ± 5.5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS- MF-30152= 6 Layers of Metal j hook (54 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-LLTPS-MF-30152

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

safe loto

**KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

**KRM-LOTO**
SAFETY PRODUCTS
safe loto**KRM-K-LLTPS-MF-30152****LOCKABLE LOCKOUT TAGOUT
PADLOCK STATION - MESH FASCIA-30152**KRM LOTO
EXPERTCE
Certified

- Material – Mild steel with duly phosphate powder coated.
- Front side Mesh Fascia with border frame.
- Size – 30" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place / hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One / Two in-built Lock and a knob to hold.
- Weight – ± 5.5 kg
- Color – Yellow or as per quantity required.
- **KRM-K-LLTPS-MF-30152= 6 Layers of Metal j hook (54 Padlock can Hang)**
- Note – **Can also make combination of metal j hook 7/12/17 as per requirement.**
- Note – **Material design to be supply as per stock inventory.**

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L121
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA -30156

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / two in-built Lock and a knob to hold.
- **Weight** – ± 10 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-CF-30156 =6 Layers of Metal j hook(54 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-LLTPS-CF-30156

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com
OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269www.lotoappliances.comEmail: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

safe loto

**KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008

GSTIN No.: 06AAECK2831L121
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT



KRM-LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-LLTPS-CF-30156**

LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA -30156

KRM LOTO
EXPERTCE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place / hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hang on one hook as per requirement
- One adjustable shelf
- One / two in-built Lock and a knob to hold.
- **Weight** – ±10 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-CF-30156 = 6 Layers of Metal j hook (54 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – Material design to be supply as per stock inventory.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Email: info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAMPW8746Q
TIN No.: 06821328889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA -30156

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key/key chain separately can place /hang on alternate hook
- **9, 4 padlock can hang individually in one metal layer of 17 & 7 hooks in combination of Front and both left & right side.**
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / Two in-built Lock and a knob to hold.
- **Weight** – ± 12 kg
- **Colour** – Yellow or as per quantity required.
- **KRM-K-LLTPS-CF-102P-30156=6 Layers 17no's and 6+6 Layer-7no's Metal j hook (102 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-LLTPS-CF-102P-30156

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM LOTO****Lock Tag!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2008

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



KRM-LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-LLTPS-CF-102P-30156**

LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA -30156

CE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook - 1 layer having 17 no's hooks and other layer having 7 no's hook. One lock & key/key chain separately can place /hang on alternate hook
- 9, 4 padlock can hang individually in one metal layer of 17 & 7 hooks in combination of Front and both left & right side.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / Two in-built Lock and a knob to hold.
- **Weight** – +12 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-CF-102P-30156** = 102 Nos. Padlock can Hang
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- MESH FASCIA -30156

- **Material** – Mild steel with duly phosphate powder coated.
- Front side mesh Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / two in-built Lock and a knob to hold.
- **Weight** – ± 10 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-MF-30156= 6 Layers of Metal j hook (54 padlock can Hang)**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**



KRM-LLTPS-MF-30156

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com
OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269www.lotoappliances.comEmail: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

safe loto

**KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT



KRM-LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-LLTPS-MF-30156**

LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- MESH FASCIA -30156

KRM LOTO
EXPERTCE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- Front side mesh Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hang on one hook as per requirement
- One adjustable shelf
- One / two in-built Lock and a knob to hold.
- **Weight** – +10 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-MF-30156 = 6 Layers of Metal j hook (54 padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – Material design to be supply as per stock inventory.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private LimitedM: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA -30159

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 9"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / Two in-built Lock and a knob to hold.
- **Weight** – ± 13 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-CF-30159=6 Layers of Metal j hook (54 Padlock can Hang)**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note: Material design to be supply as per stock inventory.**



KRM-K-LLTPS-CF-30159

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com
KRM**KRM LOTO****Lock Tag!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT


KRM LOTO
SAFETY PRODUCTS
safe loto
LOCKABLE LOCKOUT TAGOUT
PADLOCK STATION-CLEAR FASCIA - 30159
CE
Certified**KRM-K-LLTPS-CF-30159**

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 9"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hang on one hook as per requirement
- One adjustable shelf
- One / Two in-built Lock and a knob to hold.
- **Weight** – +13 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-CF-30159=6 Layers of Metal j hook (54 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – Material design to be supply as per stock inventory.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private LimitedM: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA -30159

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 9"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key/key chain separately can place /hang on alternate hook .
- **9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks in combination of Front and both left & right side.**
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / Two in-built Lock and a knob to hold.
- **Weight** – ± 13 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-CF-102P-30159=6 Layers 17no's and 6+6 Layer-7no's Metal j hook (102 Padlock can Hang)**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**



KRM-K-LLTPS-CF-102P-30159

KRM CORPORATIONISO 9001:2007, ISO 14001:2015, ISO 45001:2018
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 and 1910.269

GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com
KRM**KRM LOTO****Lock Tag!!****safe loto****K&M Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269www.lotoappliances.com

LOCKOUT/TAGOUT



KRM-LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-LLTPS-CF-102P-30159**

LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA - 30159

CE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side Clear Fascia** with border frame.
- **Size** – 30" X 15" X 9"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key / key chain separately can place /hang on alternate hook.
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks in combination of Front and both left & right side.
- 2 lock can put / hang on one hook as per requirement
- One adjustable shelf
- One / Two in-built Lock and a knob to hold.
- **Weight** – +13 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTPS-CF-102P-30159=6 Layers 17no's and 6+6 Layer-7no's Metal j hook (102 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – Material design to be supply as per stock inventory.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

K&M Safetech Private LimitedM: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO –LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA-483612

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 36" X 48" X 12"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 30 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key separately can place /hang on alternate hook
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- One/two adjustable shelf on additional requirement
- 2 lock can put / hag on one hook as per requirement
- One / two in-built Lock and a knob to hold.
- **Weight** – ± 40 kg
- **Color** – Yellow or as per Volume requirement.
- **KRM-K-LTPS-CF-483612= (220Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-LTPS-CF-483612

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com
KRM**KRM LOTO****Lock Tag!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT


KRM LOTO
SAFETY PRODUCTS
safe loto
**KRM-K-LTPS-CF-483612**
**LOCKOUT TAGOUT PADLOCK STATION-
CLEAR FASCIA-483612**
CE
Certified

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 36" X 48" X 12"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 30 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key separately can place / hang on alternate hook.
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- One/two adjustable shelf on additional requirement
- 2 lock can put / hang on one hook as per requirement
- One / two in-built Lock and a knob to hold.
- Weight – ±40 kg
- Color – Yellow or as per Volume requirement.
- **KRM-K-LTPS-CF-483612= (220Padlock can Hang)**
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.
- Note – Material design to be supply as per stock inventory.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO –LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA-48362

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 36" X 48" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 30 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key/ key chain separately can place /hang on alternate hook
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 25 kg
- **Color** – Yellow or as per Volume requirement.
- **KRM-K-LTPS-CF-48362=20 Layers 17no's and 10 Layer 7 no's Metal j hook (220Padlock can Hang)**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**



KRM-K-LTPS-CF-48362

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

**KRM-LOTO**
SAFETY PRODUCTS
safe loto**KRM-K-LTPS-CF-48362****LOCKOUT TAGOUT PADLOCK STATION-
CLEAR FASCIA-48362**CE
Certified

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 36" X 48" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 30 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key/ key chain separately can place /hang on alternate hook
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- Weight – ±25 kg
- Color – Yellow or as per Volume requirement.
- **KRM-K-LTPS-CF-48362=20 Layers 17no's and 10 Layer 7 no's Metal j hook (220Padlock can Hang)**
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.
- Note – Material design to be supply as per stock inventory.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**KM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO –LOCKOUT TAGOUT PADLOCK STATION-CLEAR FASCIA-36362

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 36" X 36" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 14 Layers of Metal J Type hook (1 layer having 17 no's hook,). other layer having 7 no's hook. One lock & key / key chain separately can place /hang on alternate hook only.
- 9&4 padlock individually can hang on alternate hook in one metal layer of 17&7 hooks.
- Max. 2 lock can put / hang on one Metal j hook as per own require Two in-built Lock and a knob to hold.
- **Weight** – ± 20 kg
- **Color** – Yellow or as per Volume requirement.
- **KRM-K-LTPS-CF-36362=(7+7)=14 Layers 17no's and 7 Layer 7 no's Metal j hook (154 Padlock can Hang)**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**



KRM-K-LTPS-CF-36362

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com
KRMOEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269**Lock Tag!**www.lotoappliances.com**safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2008

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

**KRM-LOTO**
SAFETY PRODUCTS**safe loto****KRM-K-LTPS-CF-36362****LOCKOUT TAGOUT PADLOCK STATION-
CLEAR FASCIA-36362**CE
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 36" X 36" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 14 Layers of Metal J Type hook (1 layer having 17 no's hook), other layer having 7 no's hook.
- One lock & key / key chain separately can place /hang on alternate hook only.
- 9&4 padlock individually can hang on alternate hook in one metal layer of 17&7 hooks.
- Max. 2 lock can put / hang on one Metal j hook as per own require
- Two in-built Lock and a knob to hold.
- **Weight** – ±20 kg
- **Color** – Yellow or as per Volume requirement.
- **KRM-K-LTPS-CF-36362=(7+7)=14 Layers 17no's and 7 Layer 7 no's Metal j hook (154 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private LimitedM: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPW8746Q1Z6,
 PAN No.: AAPW8746Q
 TIN No.: 0682132889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



GSTIN No.: 06AAECK2831L1ZI
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION-64

- **Material**-Mild steel with duly phosphate powder coated.
- **Size** – Height – 6 feet x Width – 4 feet.
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 42 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hang on one hook as per requirement
- Four in-built Lock and a knob to hold.
- Six layer of Metal J Type Hook slots consisting of 2 layers in single layer.
- Station is divided into two sections as to support the Size
- **Weight**- ± 25 kg
- **Color**- Grey or as per quantity required
- **KRM-K-LTPS-64=42 Layers 17no's Metal j hook (378 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-LTPS-64

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM SAFETECH****Lock Tag!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2007

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT

**KRM-LOTO**
SAFETY PRODUCTS**safe loto****LOCKOUT TAGOUT PADLOCK STATION-64**CE
Certified**KRM-K-LTPS-64**

- Material – Mild steel with duly phosphate powder coated.
- Size – Height – 6 feet x Width – 4 feet.
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 42 Metal J Type hook layer – 17 nos. in one layer, lock can place / hang after keep blank one j hook and can hang key / key chain ring in that blank hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hang on one hook as per requirement
- Four in-built Lock and a knob to hold.
- Six layer of Metal J Type Hook slots consisting of 2 layers in single layer.
- Station is divided into two sections as to support the Size
- Weight – ± 25 kg
- Color – Grey or as per quantity required
- KRM-K-LTPS-64=42 Layers 17no's Metal j hook (378 Padlock can Hang)
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO-MULTIPURPOSE PADLOCK STATION

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 24" X 48" X 12"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 20 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 12 no's hook. One lock & key separately can place /hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- 1/2/3 in-built Lock and a knob to hold.
- **Weight** – ± 35 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LTC-244812=10 Layers 17no's and 10 Layer 12 no's Metal j hook (150 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-LTC-244812

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2007

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

LOCKOUT/TAGOUT

**KRM-LOTO**
SAFETY PRODUCTS**safe loto****KRM-K-LTC-244812****MULTIPURPOSE PADLOCK STATION**

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 24" X 48" X 12"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 20 Metal J Type hook layer – 17 & 12 nos. in one layer, lock can place / hang after keep blank one j hook and can hang key / key chain ring in that blank hook.
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 2 lock can put / hang on one hook as per requirement
- One adjustable shelf
- 1/2/3 in-built Lock and a knob to hold.
- Weight – ± 35 kg
- Color – Yellow or as per quantity required.
- KRM-K-LTC-244812=10 Layers 17no's and 10 Layer 12 no's Metal j hook (110 Padlock can Hang) (150 Padlock can Hang)
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM LOTO
EXPERTCE
Certified**KRM CORPORATION**OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)
Regd. Office: 1H/31A, N.I.T. Faridabad-121001

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION- CLEAR FASCIA- GREY-15155-1

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 150X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook)
One lock & key separately can place/hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 1 locking hooks outside to put locks
- **Weight** – ± 650 gms
- **Color** – Grey or as per quantity required
- **KRM-K-LPS-CFG-15155-1 = 1 LAYER**



KRM-K-LPS-CFG-15155-1

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L121
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM-LOTO**
SAFETY PRODUCTS
safe loto**KRM-K-LPS-CFG-15155-1****LOCKOUT PADLOCK STATION- CLEAR
FASCIA- GREY-15155-1**

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 150X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key separately can place/hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 1 locking hooks outside to put locks
- **Weight** – +650 grams
- **Color** – Grey or as per quantity required
- **KRM-K-LPS-CFG-15155-1 = 1 LAYER**

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)
Regd. Office: 1H/31A, N.I.T. Faridabad-121001**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION- CLEAR FASCIA- YELLOW -15155-4

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 150X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook)
One lock & key separately can place /hang on alternate hook. 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 4 locking hooks outside to put locks
- **Weight** – ± 650 gms
- **Color** – Yellow,/Red or as per quantity required
- **KRM-K-LPS-CFY-151555-4 = 1 LAYER**



KRM-K-LPS-CFY-151555-4

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2007



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



KRM-LOTO
SAFETY PRODUCTS
safe loto

LOCKOUT PADLOCK STATION - CLEAR FASCIA-YELLOW-15155-4

CE
Certified**KRM-K-LPS-CFY-15155-4**

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 150X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key separately can place/hang on alternate hook. 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 4 locking hooks outside to put locks
- **Weight** – +650 gms
- **Color** – Yellow,/Red or as per quantity required
- KRM-K-LPS-CFY-15155-4 = 1 LAYER

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION- POLYCARBONATE CLEAR FASCIA

- **Material** – Made from ABS +Polycarbonate compositions material. It is moulded piece.
- Front side Polycarbonate Clear Fascia with border frame.
- **Size** – 156X 156 X 64MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook)
One lock & key separately can place /hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 5 locking hooks outside to put locks
- **Weight** – ± 225 gms
- **Color** – Yellow,/Red or as per quantity required
- **KRM-K-LPST-PCF-Y15156-5 = 1 LAYER**
- **KRM-K-LPST-PCF-R15156-5 = 1 LAYER**



**KRM-K-LPST-
PCF-Y15156-5**



**KRM-K-LPST-
PCF-R15156-5**

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2007



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

KRM LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-LPST-PCF-Y15156-5****KRM-K-LPST-PCF-R15156-5**

LOCKOUT PADLOCK STATION - POLYCARBONATE CLEAR FASCIA

- **Material** – Made from ABS + Polycarbonate compositions material. It is moulded piece.
- **Front side** Polycarbonate Clear Fascia with border frame.
- **Size** – 156X 156 X 64MM
- **Provision of pre drilled hole** on back side to mount any other surface.
- **1 Layer of Metal J Type hook** (1 layer having 7 no's hook) One lock & key separately can place/hang on alternate hook.
- **4 padlock** can hang individually in one metal layer of 7 hooks.
- **5 locking hooks** outside to put locks
- **Weight** – +225 gms
- **Color** – Yellow,/Red or as per quantity required
- **KRM-K-LPST-PCF-Y15156-5 = 1 LAYER**
- **KRM-K-LPST-PCF-R15156-5 = 1 LAYER**

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION-MESH FASCIA-15155-4

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side MESH Fascia with border frame.
- **Size** – 150X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Metal J hook - 7 nos.in one layer , but can hang one lock after alternate leave blank one hook. Key/ key chain can hang in that blank hook .
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 4 locking hooks outside to put locks
- **Weight** – ± 650 gms
- **Color** – Yellow,/Red or as per quantity required
- **KRM-K-LPS-MFY-15155-4 = 1 LAYER**
- **KRM-K-LPS-MFR-15155-4 = 1 LAYER**



KRM-K-LPS-MFY-15155-4



KRM-K-LPS-MFR-15155-4

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**LOCKOUT/TAGOUT****Lock Tag!!****safe loto****KM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT**KRM-LOTO**
SAFETY PRODUCTS
safe loto**LOCKOUT PADLOCK STATION MESH
FASCIA-15155-4**CE
Certified**KRM-K-LPS-MFY-15155-4****KRM-K-LPS-MFR-15155-4**

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side MESH Fascia with border frame.
- Size – 150 X 150 X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- Metal J hook – 7 nos. in one layer, but can hang one lock after alternate leave blank one hook. Key / key chain can hang in that blank hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 4 locking hooks outside to put locks
- Weight – +650 gms
- Color – Yellow / Red or as per quantity required
- KRM-K-LPS-MFY-15155-4 = 1 LAYER
- KRM-K-LPS-MFR-15155-4 = 1 LAYER

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**KM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM SAFETY****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2007



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L121
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT

KRM-LOTO
SAFETY PRODUCTS
safe loto

LOCKOUT PADLOCK STATION-MESH

FASCIA-225155-4

CE
Certified

**KRM-K-LPS-MFY-225155-4****KRM-K-LPS-MFR-225155-4**

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side MESH Fascia** with border frame.
- **Size** – 225 X 150 X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 2 Metal J hook – 7 nos. in one layer, but can hang one lock after alternate leave blank one hook. Key / key chain can hang in that blank hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 4 locking hooks outside to put locks
- **Weight** – ± 1 Kg
- **Color** – Yellow / Red or as per quantity required
- **KRM-K-LPS-MFR-225155-4 = 2 LAYERS**
- **KRM-K-LPS-MFY-225155-4 = 2 LAYERS**

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-2251655

- **Material** – Mild steel with duly phosphate powder coated.
- Front side clear Fascia with border frame.
- **Size** – 225X165 X50 mm
- Provision of pre drilled hole on back side to mount any other surface.
- 2 Layer of Metal J Type hook (1 layer having 7 no's hook)
One lock & key / key chain separately can place /hang on alternate hook.
- 3 padlock can hang individually on one layer of 7 hooks.
- Maximum 2 lock can put / hang on one hook if require.
- One in-built Lock.
- **Weight** – ± 1.2 kg
- **Color** – Red , yellow or as per quantity required.
- **KRM-K-LLTPS-225165 = 2Layers, of Metal J hook- For Total 6 padlock .**
- **Note: Material design to be supply as per stock inventory.**



KRM-K-LLTPS-2251655

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!****safe loto****KM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2007



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

KRM-LOTO
SAFETY PRODUCTS
safe loto

LOCKOUT PADLOCK STATION-MESH FASCIA-225155-4

CE
Certified**KRM-K-LLTPS-225165**

- Material – Mild steel with duly phosphate powder coated.
- Front side clear Fascia with border frame.
- Size – 225X165 X50 mm
- Provision of pre drilled hole on back side to mount any other surface.
- 2 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key / key chain separately can place /hang on alternate hook.
- 4 padlock can hang individually on one layer of 7 hooks.
- Maximum 2 lock can put / hang on one hook if require.
- One in-built Lock.
- Weight – ± 1.2 kg
- Color – Red, yellow or as per quantity required.
- KRM-K-LLTPS-225165 = 2Layers, of Metal J hook- For Total 8 padlock .

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – DI ELECTRIC MULTIPURPOSE LOCKOUT PADLOCK / KEY BOX

- **Material** - ABS. For locking purpose one Padlock eye-molded ABS. Can be used with lockout hasp.
- Four Padlocks can be hanged on the metal hook slots being provided in the Padlock & Key Box.
- **Size of the outer rectangular lower base part** – 190mm x 120mm x 25mm, Inner size – 185mm x 115mm x 22mm.
- **Size of upper part** – Length 190mm x Width 120mm
- It can be carried on any isolation area, indoor and outdoor application suitable in moisture and even in corrosion area.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- **Weight** – 150 gms
- **Color** – Grey, Yellow, White or can make as per requirement on the basis of quantities required.



KRM-K-MLPKB-Y



KRM-K-MLPKB-G



KRM CORPORATIONISO 9001:2007, ISO 14001:2004, ISO 45001:2018, ISO 9001:2015
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRMOEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269**Lock Tag!**

www.locktagindia.com

safe loto**KM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT

**KRM-LOTO**
SAFETY PRODUCTS**safe loto****DI ELECTRIC MULTIPURPOSE LOCKOUT
PADLOCK / KEY BOX**CE
Certified**KRM-K-MLPKB-Y****KRM-K-MLPKB-G**

- **Material** – ABS. For locking purpose one Padlock eye-molded ABS. Can be used with lockout hasp.
- Four Padlocks can be hanged on the metal hook slots being provided in the Padlock & Key Box.
- **Size of the outer rectangular lower base part** – 190mm x 120mm x 25mm, Inner size – 185mm x 115mm x 22mm.
- **Size of upper part** – Length 190 mm x Width 120 mm
- It can be carried on any isolation area, indoor and outdoor application suitable in moisture and even in corrosion area.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- **Weight** – 150 gms
- **Color** – Grey, Yellow, White or can make as per requirement on the basis of quantities required.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**KM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 and 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

Lock Tag!

www.locktagindia.com

safe loto

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2008

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

LOCKOUT/TAGOUT

KRM-LOTO
SAFETY PRODUCTS
safe loto

**KRM-K-MPC-30****MULTIPURPOSE PADLOCK CENTRE/CABINET**

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Clear Fascia with border frame.
- **Size** – 22/24" X 18" X 2"
- 30 ABS hooks to hang padlock.
- Provision of pre drilled hole on back side to mount any other surface.
- One in-built Lock and a knob to hold.
- **Weight** – 4 kg.
- **Color** – Grey, Yellow or as per quantity required.
- **KRM-K-MPC-30 (30 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM LOTO
EXPERTCE
Certified**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - MULTIPURPOSE PADLOCK CENTRE/CABINET

- **Material** - Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- 20 ABS hooks to hang padlock with two hole type.
- Provision of pre drilled hole on back side to mount any other surface.
- One in-built Lock and a knob to hold.
- **Weight** - 4 kg.
- **Color** – Yellow, Grey or as per quantity required.
- **KRM-K-MPC-20 (20 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-MPC-20

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2007GSTIN No.: 06AAECK2831L121
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

**KRM LOTO**
SAFETY PRODUCTS
safe lotoKRM LOTO
EXPERTCE
Certified**MULTIPURPOSE PADLOCK CENTRE/CABINET****KRM-K-MPC-20**

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- 20 ABS hooks to hang padlock with two hole type.
- Provision of pre drilled hole on back side to mount any other surface.
- One in-built Lock and a knob to hold.
- **Weight** – 4 kg.
- **Color** – Yellow, Grey or as per quantity required.
- **KRM-K-MPC-20** (20 Padlock can Hang)
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.comwww.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

safe loto

**KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM-LOTO**
SAFETY PRODUCTS
safe lotoKRM LOTO
EXPERTCE
Certified**MULTIPURPOSE PADLOCK CENTRE/CABINET****KRM-K-MPC-12**

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- 12 ABS hooks to hang padlock with two hole type with four tag holder pockets to hold tags, pens, nylon ties, etc.
- Provision of pre drilled hole on back side to mount any other surface.
- One in-built Lock and a knob to hold.
- **Weight** – 4 kg.
- **Color** – Red, Yellow, Grey or as per quantity required.
- **KRM-K-MPC-12 (12 Padlock can Hang)**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.comwww.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOTO CARRY PERMIT CENTER / LOTO CARRY CENTER / LOTO PADLOCK CENTER

LOCKOUT/TAGOUT

LOTO Permit Document Carry Centre / Holder made from Hollow Transparent Tube

- Standard length of tube 380 mm and dia. 40 MM
- Portable handle on top side
- Lockable provision on side of tube to make safer and secure for inside contents
- 1 Fixed 3 layer of ABS material, each having 6 slot to hang material
- It can be used for loto / key documentation / permit holder / information
- It can carry and hang on any surface.
- It can be supplied with or without products.
- **Weight** – 750 gm
- **Note** – On requirement, long length with large dia. of tube can be made



KRM-K-LLCPC-T



KRM CORPORATIONISO 9001:2008 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

safe loto

**KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

**KRM-LOTO**
SAFETY PRODUCTS
safe lotoKRM LOTO
EXPERTCE
Certified**LOCKABLE LOTO CARRY PERMIT CENTER
/ LOTO CARRY CENTER / LOTO PADLOCK CENTER**

LOTO Permit Document Carry Centre / Holder made from Hollow Transparent Tube

- Standard length of tube 380 mm and dia. 40 MM
- Portable handle on top side
- Lockable provision on side of tube to make safer and secure for inside contents
- 1 Fixed 3 layer of ABS material, each having 6 slot to hang material
- It can be used for loto / key documentation / permit holder / information
- It can carry and hang on any surface.
- It can be supplied with or without products.
- Weight – 750 gms
- Note – On requirement, long length with large dia. of tube can be made

KRM-K-LLCPC-T

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.comwww.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – ABS PADLOCK HOLDER

- **Material** – ABS with ACP sheet
- Having three set of slot section in one piece.
- Abs slotter attached with the ACP sheet having provision for the wall mounting.
- Padlock station to hang 15 Padlocks in one layer
- **Size** – 340mm x 40mm.
- ABS Slotter can be used in any type of loto station separately according to the requirement as shown in image.
- **Color** – Red, Black or as per bulk qty. required.
- **Note** –Image only for reference .



ABS SLOTER



KRM-K-PLTS-12/15

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRMOEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269**Lock Tag!**

www.locktagindia.com

safe loto**KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2008

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT

**KRM LOTO**
SAFETY PRODUCTS
safe loto**LOCKOUT PADLOCK STATION-MESH
FASCIA-225155-4**KRM LOTO
EXPERTCE
Certified**KRM-K-PLTS-12/15****ABS SLOTER**

- Material – ABS with ACP sheet
- Having three set of slot section in one piece.
- Abs slotter attached with the ACP sheet having provision for the wall mounting.
- Padlock station to hang 15 Padlocks in one layer
- Size – 340 mm x 40 mm.
- ABS Slotter can be used in any type of loto station separately according to the requirement as shown in image.
- Color – Red, Black or as per bulk qty. required.
- Note – Image only for reference.

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – PADLOCK STATION HOLDER

- **Material** – Metal duly powder coted
- Wall mounting arrangement
- **For 6 locks**, Size of model no.
KRM-K-LPDS-6– 100mmx40mm.
- **For 12 locks**, Size of model no.
KRM-K-LPDS-12– 200mmx40mm.
- **For 18 locks**, Size of model no.
KRM-K-LPDS-18– 340mmx40mm.
- **Color** – Red & Yellow



KRM-K-LPDS-6



KRM-K-LPDS-18



KRM-K-PLTS-12



KRM-K-LPDS-12

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com


KRMOEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269**Lock Tag!!**

www.lotoappliances.com

safe loto**KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT

**KRM-LOTO**
SAFETY PRODUCTS**safe loto****PADLOCK STATION HOLDER**KRM LOTO
EXPERTCE
Certified**KRM-K-LPDS-18****KRM-K-LPDS-6****KRM-K-LPDS-12**

- Material – Metal duly powder coated
- Wall mounting arrangement
- For 6 locks, Size of model no. KRM-K-LPDS-6 – 100mmx40mm.
- For 12 locks, Size of model no. KRM-K-LPDS-12 – 200mmx40mm.
- For 18 locks, Size of model no. KRM-K-LPDS-18 – 340mmx40mm.
- Color – Red & Yellow

**KRM-K-PTLS-12****KRM CORPORATION**OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - MOLDED LOCKOUT TAGOUT STATION (WALL MOUNTED AS WELL AS CARRYABLE) WITHOUT MATERIAL

KRM-K-MLTS-4033

- **Material** – Engineering grade material
- Front side Clear Fascia.
- **Size in mm** – 408 X 338
- Provision of pre drilled hole on back side to mount any surface.
- With 12 ABS hooks to hang padlock / LOTO items.
- Max-3 lock can put / hang on one hook as required
- Molded handle on the top for carry purpose
- Weight-2.3kg



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - MOLDED LOCKOUT TAGOUT STATION (WALL MOUNTED AS WELL AS CARRYABLE) WITH MATERIAL

KRM-K-MLTS-4033-10

- **Material** – Engineering grade material
 - Front side Clear Fascia.
 - **Size in mm** – 408 X 338
 - Provision of pre drilled hole on back side to mount any surface.
 - With 12 ABS hooks to hang padlock / LOTO items.
 - Max-3 lock can put / hang on one hook as required.
 - Molded handle on the top for carry purpose.
 - KRM-K-OSLTP-C-MDK=5 (METAL SHACKLE PADLOCK)
 - KRM-K-OSLTP-C-NDK=5 (NYLON SHACKLE PADLOCK)
 - Weight-3.3kg
 - Padlock color will provide as per stock availability
- Picture for reference.



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - MOLDED LOCKOUT TAGOUT STATION (WALL MOUNTED AS WELL AS CARRYABLE) WITH MATERIAL

KRM-K-MLTS-4033-102H

- **Material** – Engineering grade material
- Front side Clear Fascia.
- **Size in mm** – 408 X 338
- With 12 ABS hooks to hang padlock / LOTO items.
- Max-3 lock can put / hang on one hook as required.
- Molded handle on the top for carry purpose.
- KRM-K-OSLTP-C-MDK=5 (METAL SHACKLE PADLOCK)
- KRM-K-OSLTP-C-NDK=5 (NYLON SHACKLE PADLOCK)
- KRM-K-VCH-R-S25 =2
- Weight-3.5kg
- Padlock color will provide as per stock availability
Picture for reference.



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - MOLDED LOCKOUT TAGOUT STATION (WALL MOUNTED AS WELL AS CARRYABLE) WITH MATERIAL

KRM-K-MLTS-4033-12

- **Material** – Engineering grade material
- Front side Clear Fascia.
- **Size in mm** – 408 X 338
- With 12 ABS hooks to hang padlock / LOTO items.
- Max-3 lock can put / hang on one hook as required
- Molded handle on the top for carry purpose.
- KRM-K-OSLTP-C-MDK=6 (METAL SHACKLE PADLOCK)
- KRM-K-OSLTP-C-NDK=6 (NYLON SHACKLE PADLOCK)
- Weight-3.5kg
- Padlock color will provide as per stock availability Picture for reference.



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lockoutappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L121
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

Notes:

- Lock & Tag should be used with all loto products.
- For group locking on particular energy hasp should be used.
- Group lockout box should be used for group lockout tagout.
- Scissor Cable or Round cable lockout can be used to lock multiple hazardous energies instead putting individual locks & tags.

