

## KRM CORPORATION

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147/1910.269

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)

KRM

KRM CORPORATION

Lock Tag!!

safe loto

KRM Safetech Private Limited  
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)





OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Productsto meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

**KRM LOTO – BRASS SAFETY PADLOCK****Index Page No:-2**

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
1	KRM-K-PDL-BF	BRASS SAFETY PADLOCK - Brass Body Padlock differ key	0.120	3-4
2	KRM-K-PDR-BF	BRASS SAFETY PADLOCK - Brass Body Padlock differ key	0.100	3-4
3	KRM-K-PDL-BS	BRASS SAFETY PADLOCK – WITH BRASS SHACKLE differ key	0.120	5-6
4	KRM-K-PDR-BS	BRASS SAFETY PADLOCK – WITH BRASS SHACKLE differ key	0.120	5-6
5	KRM-K-BSP-NP-4	KRM LOTO - Brass Safety Padlock - Four Layer Number pattern to unlock the padlock	0.120	7-8
6	KRM-K-BSP-NP-3	KRM LOTO - Brass Safety Padlock - Three Layer Number pattern to unlock the padlock	0.120	9-10,11
7	KRM-K-SW-NP-4NR	KRM LOTO – NON RESTTABLE / SAFETY WIRE NUMBER PADLOCK	0.1	12
8	KKRM-K-SW-NP-4R	KRM LOTO – RESTTABLE / SAFETY WIRE NUMBER PADLOCK	0.1	13

GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – BRASS SAFETY PADLOCK


- Padlock Is a detachable Lock Passed By An Opening With U-shaped Shackle Used To Protect Against Unauthorized Or Unwanted Stealing. Provided With Latest Locking Mechanism Used To Lock The Different Devices.
- KRM LOTO SAFETY PADLOCK ---"seamless" lock structure durability-Key system: DIFFER KEY, ALIKE KEY, MASTER & DIFFER KEY.
- Brass Body Padlock with brass cylinder and 6 pin tumbler
- Key retaining-ensures that padlock is not left unlocked.
- Two layer nickel plated brass keys
- Key system: **DIFFER KEY, ALIKE KEY, MASTER & DIFFER KEY.**
- **Body material:** Brass body
- Shackle Material: Hardened Steel Shackle
- **Color:** Brass Gold
- Withstand 48 to 72 hours of salt spray testing
- **Weight** – 120gm for long shackle & 100gm for short shackle.



**KRM-K-PDR-BF**



**KRM-K-PDL-BF**



KRM PART CODE	BODY WIDTH (A)	SHACKLE HEIGHT (B)	BODY HEIGHT(C)	BODY DEPTH(D)	SHACKLE THICKNESS (E)
KRM-K-PDR-BF	39 mm	38 mm	40.5 mm	19 mm	6.3 mm
KRM-K-PDL-BF	39 mm	76 mm	40.5 mm	19 mm	6.3 mm



GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269

Lock Tag!!



[www.lotoappliances.com](http://www.lotoappliances.com)

safe loto



**KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015


GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto



KRM-K-PDR-BF




KRM-K-PDL-BF

## BRASS SAFETY PADLOCKS

CE  
Certified

Padlock Is a detachable Lock Passed By An Opening With U-shaped Shackle Used To Protect Against Unauthorized Or Unwanted Stealing. Provided With **Latest Locking Mechanism** Used To Lock The Different Devices.

- KRM LOTO SAFETY PADLOCK ----"seamless" lock structure durability-Key system: **DIFFER KEY, ALIKE KEY, MASTER & DIFFER KEY.**
- Brass Body Padlock with brass cylinder and 6 pin tumbler
- Key retaining-ensures that padlock is not left unlocked.
- Two layer nickel plated brass keys
- **Key system:** DIFFER KEY, ALIKE KEY, MASTER & DIFFER KEY.
- **Body material:** Brass body
- **Shackle Material:** Hardened Steel Shackle
- **Color:** Brass Gold
- Withstand 48 to 72 hours of salt spray testing
- **Weight** – 120gm for long shackle & 100gm for short shackle.



ITEM CODE	BODY WIDTH (A)	SHACKLE HEIGHT (B)	BODY HEIGHT (C)	BODY DEPTH (D)	SHACKLE THICKNESS (E)
KRM-K-PDR-BF	39 mm	38 mm	40.5 mm	19 mm	6.3 mm
KRM-K-PDL-BF	39 mm	76 mm	40.5 mm	19 mm	6.3 mm

**KRM CORPORATION**

ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

**KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269

Lock Tag!!



[www.lotoappliances.com](http://www.lotoappliances.com)

safe loto



**KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – BRASS SAFETY PADLOCK – WITH BRASS SHACKLE


- Padlock Is a detachable Lock Passed By An Opening With U-shaped Shackle Used To Protect Against Unauthorized Or Unwanted Stealing. Provided With Latest Locking Mechanism Used To Lock The Different Devices.
- KRM LOTO SAFETY PADLOCK ---"seamless" lock structure durability-Key system: DIFFER KEY, ALIKE KEY, MASTER & DIFFER KEY.
- Brass Body Padlock with brass cylinder and 6 pin tumbler
- Key retaining-ensures that padlock is not left unlocked.
- Two layer nickel plated brass keys
- Key system: **DIFFER KEY, ALIKE KEY, MASTER & DIFFER KEY.**
- **Body material:** Brass body
- **Shackle Material:** Brass Shackle
- **Color:** Brass Gold
- Withstand 48 to 72 hours of salt spray testing
- **Weight** – 120gm for long shackle & 100gm for short shackle.



**KRM-K-PDL-BS**

**KRM-K-PDR-BS**

KRM PART CODE	BODY WIDTH (A)	SHACKLE HEIGHT (B)	BODY HEIGHT (C)	BODY DEPTH(D)	SHACKLE THICKNESS (E)
KRM-K-PDR-BS	39 mm	38 mm	40.5 mm	19 mm	6.3 mm
KRM-K-PDL-BS	39 mm	76 mm	40.5 mm	19 mm	6.3 mm





GSTIN No.: 06AAPVW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)





## BRASS SAFETY PADLOCKS – WITH BRASS SHACKLE

CE  
Certified

Padlock is a detachable Lock Passed By An Opening With U-shaped Shackle Used To Protect Against Unauthorized Or Unwanted Stealing. Provided With **Latest Locking Mechanism** Used To Lock The Different Devices.

- KRM LOTO SAFETY PADLOCK ---"seamless" lock structure durability-Key system: **DIFFER KEY, ALIKE KEY, MASTER & DIFFER KEY.**
- Brass Body Padlock with brass cylinder and 6 pin tumbler
- Key retaining-ensures that padlock is not left unlocked.
- Two layer nickel plated brass keys
- **Key system:** DIFFER KEY, ALIKE KEY, MASTER & DIFFER KEY.
- **Body material:** Brass body
- **Shackle Material:** Brass Shackle
- **Color:** Brass Gold
- Withstand 48 to 72 hours of salt spray testing
- **Weight** – 120gm for long shackle & 100gm for short shackle.



KRM-K-PDR-BS



KRM-K-PDL-BS

ITEM CODE	BODY WIDTH (A)	SHACKLE HEIGHT (B)	BODY HEIGHT (C)	BODY DEPTH (D)	SHACKLE THICKNESS (E)
KRM-K-PDR-BS	39 mm	38 mm	40.5 mm	19 mm	6.3 mm
KRM-K-PDL-BS	39 mm	76 mm	40.5 mm	19 mm	6.3 mm

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

## KRM LOTO – BRASS SAFETY PADLOCK – WITH NUMBER PATTERN

- Padlock Is a detachable Lock Passed By An Opening With U-shaped Shackle Used To Protect Against Unauthorized Or Unwanted Stealing. Provided With Latest Locking Mechanism Used To Lock The Different Devices.
- KRM LOTO SAFETY PADLOCK ---"seamless" lock structure durability.
- Brass Body Padlock with brass cylinder and 6 pin tumbler
- Four Layer Number pattern to unlock the padlock
- Hardened Steel Shackle
- **Body material:** Brass body
- **Shackle Material:** Steel Shackle
- **Size** – 85 mm X 40 mm X 14.5 mm
- **Lock Length** – 48.5 mm
- **Shackle Diameter** – 6 mm
- **Color** – Brass Gold
- Withstand 48 to 72 hours of salt spray testing
- **Weight** – 170gm



**KRM-K-BSP-NP-4**



**KRM CORPORATION**

ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)

safe loto



**KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto

## BRASS SAFETY PADLOCK – WITH NUMBER PATTERN

Padlock Is a detachable Lock Passed By An Opening With U-shaped Shackle Used To Protect Against Unauthorized Or Unwanted Stealing. Provided With Latest Locking Mechanism Used To Lock The Different Devices.

- KRM LOTO SAFETY PADLOCK ---"seamless" lock structure durability.
- Brass Body Padlock with brass cylinder and 6 pin tumbler
- Four Layer Number pattern to unlock the padlock
- Hardened Steel Shackle
- Body material: Brass body
- Shackle Material: Steel Shackle
- SIZE – 85 mm X 40 mm X 14.5 mm
- Lock Length – 48.5 mm
- Shackle Diameter – 6 mm
- Color – Brass Gold
- Withstand 48 to 72 hours of salt spray testing
- Weight – 170gm



KRM-K-BSP-NP-4



CE  
Certified

**KRM CORPORATION**

ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

✉ [info@krmcorporation.com](mailto:info@krmcorporation.com), [info@krmloto.com](mailto:info@krmloto.com), [krmloto@gmail.com](mailto:krmloto@gmail.com), [wadhwrajinder@gmail.com](mailto:wadhwrajinder@gmail.com)

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)

016



GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)




GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – BRASS SAFETY PADLOCK – WITH NUMBER PATTERN

- Padlock Is a detachable Lock Passed By An Opening With U-shaped Shackle Used To Protect Against Unauthorized Or Unwanted Stealing. Provided With Latest Locking Mechanism Used To Lock The Different Devices.
- KRM LOTO SAFETY PADLOCK ---"seamless" lock structure durability.
- Brass Body Padlock with brass cylinder and 6 pin tumbler
- Three Layer Number pattern to unlock the padlock
- Hardened Steel Shackle
- **Body material:** Brass body
- **Shackle Material:** Steel Shackle
- **Size** – 54 mm X 21 mm X 10mm
- **Lock Length** – 29.5 mm
- **Shackle Diameter** – 3 mm
- **Color** – Brass Gold
- Withstand 48 to 72 hours of salt spray testing
- **Weight** – 140gm



**KRM-K-BSP-NP-3**

**KRM CORPORATION**ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Productsto meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

safe loto

**K&M Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT  
**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto

KRM-K-BSP-NP-3

**BRASS SAFETY PADLOCK – WITH NUMBER PATTERN**

Padlock Is a detachable Lock Passed By An Opening With U-shaped Shackle Used To Protect Against Unauthorized Or Unwanted Stealing. Provided With Latest Locking Mechanism Used To Lock The Different Devices.

- KRM LOTO SAFETY PADLOCK ----"seamless" lock structure durability.
- Brass Body Padlock with brass cylinder and 6 pin tumbler
- Three Layer Number pattern to unlock the padlock
- Hardened Steel Shackle
- Body material: Brass body
- Shackle Material: Steel Shackle
- SIZE – 54 mm X 21 mm X 10mm
- Lock Length – 29.5 mm
- Shackle Diameter – 3 mm
- Color – Brass Gold
- Withstand 48 to 72 hours of salt spray testing
- Weight – 140gm

CE  
Certified**KRM CORPORATION**ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**K&M Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com

016



GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1ZI  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## INSTRUCTION TO OPERATE – BRASS NUMBER PADLOCK

### HOW TO OPEN THE PADLOCK

- To open the lock, code is already set in advance to the pattern (0-0-0) or (0-0-0-0)
- Now try to twist the wheels to mark code on the lock
- Pull the shackle of lock out to open

### HOW TO SET A NEW CODE FOR PADLOCK

- Before setting the combination for the lock make sure that the lock should be in open condition
- Lock Shackle should be turned till 180° and then press to the end
- Turn the code wheel to the mark and make a new code of your choice, now pull the shackle of the lock out and the new code is set.

### HOW TO LOCK THE PADLOCK

- Press the shackle to end of the lock hole
- Now twist the code and disorder to lock

GSTIN No.: 06AAPW8746Q1Z6,  
PAN No.: AAPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – NON RESTTABLE / SAFETY WIRE NUMBER PADLOCK

- KRM LOTO **NON RESTTABLE NUMBER CABLE LOCK** .
- Insulated metal cable
- Four Layer Number pattern to unlock the padlock,
- Insulated Hardened Metal Steel cable
- **Cable Length** –  $\pm 915$  to 1200mm as per stock availability.
- **Cable Thickness** –  $\pm 6$ mm
- **Color** – Standard Black

❖ The password is fixed and unchangeable (password is attached with a ring on the cable of the lock,)



**Note : No replacement after dispatch**

**KRM-K-SW-NP-4NR**



GSTIN No.: 06AACPW8746Q1Z6,  
PAN No.: AACPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269

**Lock Tag!!**



[www.lotoappliances.com](http://www.lotoappliances.com)

**safe loto**



**K&M Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – RESETTABLE / SAFETY WIRE NUMBER PADLOCK

- KRM LOTO RESETTABLE NUMBER CABLE LOCK.
- Insulated metal cable.
- Four Layer Number pattern to unlock the padlock,
- Insulated Hardened Metal Steel
- **Cable Length** –  $\pm 915$  to 1200mm as per stock availability .
- **Cable Thickness** –  $\pm 8$ -12mm
- **Color** – Standard Black
- **Note** : password for this lock is resettable,

### SET YOUR PASSWORD

- set 0000 to unlock
- Rotate the RESET knob 90 degree right
- Turn digits to set your personal combination and keep in your record.
- Rotate the RESET knob 90 degree left to the original position

**Note : No replacement after dispatch**



**KRM-K-SW-NP-4R**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1ZI  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – SAFETY WIRE NUMBER PADLOCK

- KRM LOTO RESETTABLE NUMBER CABLE LOCK.
- Insulated metal cable.
- Four Layer Number pattern to unlock the padlock
- Insulated Hardened Metal Steel
- **Cable Length** –  $\pm$  915 mm to 1200 mm as per stock availability
- **Cable Thickness** –  $\pm$  8mm
- **Color** – Standard Black



**KRM-K-SW-NP-4**

**Note : No replacement after dispatch**