

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE GROUP LOCKOUT BOX



GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



KRM LOTO – LOCKOUT TAGOUT OPEN STATION



KRM Corporation
Lockout Tagout



KRM Corporation
Electrical Safety
Products



KRM Corporation
TRAINING



KRM Corporation
Parking & Road
Safety Products



KRM Corporation
Signage & Tapes



KRM Corporation
Other Products



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – GROUP LOCKOUT BOX INDEX**Index Page No:-3**

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
1	KRM-K-GPLB-R16-LCH	KRM LOTO – PORTABLE GROUP LOCKOUT BOX-RED (16 LOCKABLE HOLES)	1.7	6-7
2	KRM-K-GPLB-Y16-LCH	KRM LOTO – PORTABLE GROUP LOCKOUT BOX YELLOW (16 LOCKABLE HOLES)	1.7	8-9
3	KRM-K-GPLB-+16 R-THY	PORTABLE GROUP LOCKOUT BOX WITH TAG HOLDER POCKET	1.75	10-11
4	KRM-K-GPLB-+16 Y-THG	PORTABLE GROUP LOCKOUT BOX WITH TAG HOLDER POCKET	1.75	10-11
5	KRM-K-GPLB-R20	KRM LOTO – PORTABLE GROUP LOCKOUT BOX YELLOW (20 LOCKABLE HOLES)	2.1	12-13
6	KRM-K-GPLB-TR16	KRM LOTO – PORTABLE GROUP LOCKOUT BOX WITH TRANSPARENT CUT OUT AT BOTH SIDE	1.7	14-15
7	KRM-K-GPLB-16 R+TDH	KRM LOTO GROUP PORTABLE LOCKOUT BOX WITH ADDITIONAL TRANSPARENT ACRYLIC HOLLOW TUBE	1.8	16-17
8	KRM-K-PGLSB-R	KRM LOTO – PORTABLE GROUP LOCKOUT & STORAGE BOX	2.7	18-19
9	KRM-K-GPLB-R 12	KRM-LOTO PORTABLE GROUP LOCKOUT BOX RED (12 HOLES)-KRM-K-GPLB-R 12	1.7	20-21
10	KRM-K-GPLB-Y 12	KRM-LOTO PORTABLE GROUP LOCKOUT BOX YELLOW (12 HOLES)-KRM-K-GPLB-R 12	1.7	20-21
11	KRM-K-GPLB- R 10	KRM LOTO – PORTABLE GROUP LOCKOUT BOX (10 HOLES)-KRM-K-GPLB-R 10	1.7	22-23
12	KRM-K-MGPLB-R/Y	KRM-LOTO MINI PORTABLE GROUP LOCKOUT BOX	1.1	24-25

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – GROUP LOCKOUT BOX INDEX

Index Page No:-4

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
13	KRM-K-GLB-H7	KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (7HOLES)	0.5	26-27
14	KRM-K-GLB-H9	KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (9HOLES)	0.85	28-29
15	KRM-K-GLB-H12	KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (12HOLES)	1.25	30-31
16	KRM-K-GLB-H26	KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (26HOLES)	1.75	32-33
17	KRM-K-GLB-H27-G	KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (27HOLES) GREY	1.75	34-35
18	KRM-K-GLB-H27-Y	KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (27HOLES) YELLOW	1.75	34-35
19	KRM-K-13H-PWMGLB	KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (13HOLES)	1.2	36-37
20	KRM-K-24H-PWMGLB	KRM LOTO – PORTABLE / WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (24 HOLES)	1.5	38-39
21	KRM-K-48H-PWMGLB	KRM LOTO – PORTABLE / WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (48 HOLES)	2.5	40-41
22	KRM-K-LTLB-R	KRM LOTO PORTABLE GROUP ISOLATION LOCK BOX	3.5	42-43
23	KRM-K-GLB-Y-6	KRM LOTO GROUP LOCKOUT BOX WITH 6 LOCKS	3	44-45

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – GROUP LOCKOUT BOX INDEX

Index Page No:-5

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
24	KRM-K-GLB-Y-4	KRM LOTO GROUP LOCKOUT BOX WITH 4 LOCKS	3	44-45
25	KRM-K-GLB-P8	KRM LOTO GROUP LOCKOUT BOX WITH 8 SLOTS	3.5	46-47
26	KRM-K-GLB-12H	KRM LOTO GROUP LOCKOUT BOX WITH IN BUILT 4 LOCK & 12 SLOTS	2	48-49
27	KRM-K-GLB-12H-WM	KRM LOTO GROUP LOCKOUT BOX WITH IN BUILT 4 LOCK & 12 SLOTS WITH MATERIAL	3.2	48-49
28	KRM-K-LS421	KRM LOTO GROUP LOCKOUT BOX		50-51
29	KRM-K-ISGLS	KRM LOTO –GROUP ISOLATION BOARD ACTIVATE/ DEACTIVATED	8	53

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA


www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM-LOTO MINI PORTABLE GROUP LOCKOUT BOX

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 8 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- Size** - Height 154 mm x Width 125 mm x depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- Weight** – 1.1kg
- Color** - Red, Yellow or as per the requirement



KRM-K-MGPLB-R/Y



HEIGHT(A)	WIDTH(B)	DEPTH(C)	WEIGHT
154mm	125mm	110mm	1.1kg

GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

GSTIN No.: 06AAECK2831L121
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com





Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



KRM-K-MGPLB-R/Y



MINI PORTABLE GROUP LOCKOUT BOX

CE
Certified

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material** – Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 8 Slots to hang / accommodate padlock and one main locking hook / slot on side.
- **Size** – Height 154 mm x Width 125 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- **Weight** – 1.1kg
- **Color** – Red, Yellow or as per the requirement

Height (A)	Width (B)	Depth (C)	Weight
154mm	125mm	110mm	1.1kg

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com



www.lotoappliances.com

KRM LOTO – PORTABLE GROUP LOCKOUT BOX (10 HOLES)-KRM-K-GPLB-R 10

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 10 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- Size** – Height 155 mm x Width 205 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- Weight** – 1.3kg
- Color** - Red, Yellow or as per the requirement.



KRM-K-GPLB-R 10



HEIGHT(A)	WIDTH(B)	DEPTH(C)	WEIGHT
155mm	205mm	110mm	1.3kg

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA


www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



KRM LOTO
SAFETY PRODUCTS
safe loto



KRM-K-GPLB-R10



PORTABLE GROUP LOCKOUT BOX (10 HOLES)

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 10 Slots to hang / accommodate padlock and one main locking hook / slot on side.
- Size – Height 154 mm x Width 205 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- Weight – 1.3kg
- Color – Red, Yellow or as per the requirement.

Height (A)	Width(B)	Depth(C)	Weight
154mm	205mm	110mm	1.3kg

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)
Regd. Office: 1H/31A, N.I.T. Faridabad-121001

KM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com


www.lotoappliances.com

KRM-LOTO PORTABLE GROUP LOCKOUT BOX (12 HOLES)-KRM-K-GPLB-R 12

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 12 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- Size** – Height 155 mm x Width 205 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- Weight** – 1.3kg
- Color** - Red, Yellow or as per the requirement.



KRM-K-GPLB-R12



KRM-K-GPLB-Y12

HEIGHT(A)	WIDTH(B)	DEPTH(C)	WEIGHT
155mm	205mm	110mm	1.3kg

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



KRM-LOTO
SAFETY PRODUCTS

safe loto

CE
Certified

PORTABLE GROUP LOCKOUT BOX (12 HOLES)



- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 12 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- **Size** – Height 155 mm x Width 205 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- **Weight** - 1.3kg
- **Color** - Red, Yellow or as per the requirement.



KRM-K-GPLB-R12



KRM-K-GPLB-Y12



Height (A)	Width(B)	Depth(C)	Weight
154mm	205mm	110mm	1.3kg

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM-LOTO PORTABLE GROUP LOCKOUT BOX WITH METAL POCKET (12 HOLES)

KRM-K-GPLBMP-R/Y-12

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 12 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- One metal Pocket on one side the box with metal chain .**
- One small transparent cut out on top of box for inside visibility**
- Size** – Height 155 mm x Width 205 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- Weight** – 1.5kg
- Color** - Red, Yellow or as per the requirement.



KRM-K-GPLBMP-R12



KRM-K-GPLBMP-Y12

HEIGHT(A)	WIDTH(B)	DEPTH(C)	WEIGHT
155mm	205mm	110mm	1.5kg

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – PORTABLE GROUP LOCKOUT BOX-RED (16 LOCKABLE HOLES)

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 16 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- Size** - Height 154 mm X Width 253 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- Color** - Red, Yellow or as per the requirement.
- Weight** – 1.5kg



HEIGHT(A)	WIDTH(B)	DEPTH(C)	WEIGHT
154mm	253mm	110mm	1.5kg

KRM-K-GPLB-R16-LCH

GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



PORTABLE GROUP LOCKOUT BOX-RED (16 LOCKABLE HOLES)

CE
Certified

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 16 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- **Size** - Height 154 mm x Width 253 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- **Color** - Red, Yellow or as per the requirement.
- **Weight** - 1.5kg



KRM-K-GPLB-R16-LCH

Height (A)	Width(B)	Depth(C)	Weight
154mm	253mm	110mm	1.5kg

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)
Regd. Office: 1H/31A, N.I.T. Faridabad-121001

KM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L



Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE GROUP LOCKOUT BOX YELLOW (16 LOCKABLE HOLES)

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 16 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- Size** - Height 154 mm x Width 253 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- Color** - Red, Yellow or as per the requirement.
- Weight** – 1.5kg



HEIGHT(A)	WIDTH(B)	DEPTH(C)	WEIGHT
154mm	253mm	110mm	1.5kg

KRM-K-GPLB-Y16-LCH

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM-LOTO**
SAFETY PRODUCTS
safe loto**PORTABLE GROUP LOCKOUT BOX-YELLOW
(16 LOCKABLE HOLES)**CE
Certified

KRM-K-GPLB-Y16-LCH

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 16 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- Size - Height 154 mm x Width 253 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- Color - Red, Yellow or as per the requirement.
- Weight - 1.5kg

Height (A)	Width(B)	Depth (C)	Weight
154 mm	253 mm	110 mm	1.5kg

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



KRM-LOTO
SAFETY PRODUCTS
safe loto

CE
Certified

PORTABLE GROUP LOCKOUT BOX WITH TAG HOLDER POCKET

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 16 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- Size - Height 154 mm x Width 253 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- Color - Red, Yellow or as per the requirement.
- Weight - 1.55kg
- Tag Holder Pocket can be provided in different colors as shown in image for reference.

KRM-K-GPLB-+16 R-THY



KRM-K-GPLB-+16 Y-THG

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE GROUP LOCKOUT BOX WITH TRANSPARENT CUT OUT AT BOTH SIDE

- Group Lockout Box having Cut Out with Transparent acrylic sheet for visibility purpose.
- Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 16 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- Size** - Height 154 mm x Width 253 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- Weight** – 1.45 gm
- Color** - Red, Yellow or as per the requirement.
- Note:-** Tag Holder Pocket can be added on the basis of additional price.



HEIGHT(A)	WIDTH(B)	DEPTH(C)	WEIGHT
154mm	253mm	110mm	1.45kg

KRM-K-GPLB-TR16

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com





GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



KRM-K-GPLB-TR16

PORTABLE GROUP LOCKOUT BOX WITH TRANSPARENT CUT OUT AT BOTH SIDE

- Group Lockout Box having Cut Out with Transparent acrylic sheet for visibility purpose.
- **Material** – Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 16 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- **Size** – Height 154 mm x Width 253 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- **Weight** – 1.45gm
- **Color** – Red, Yellow or as per the requirement.
- **Note:-** Tag Holder Pocket can be added on the basis of additional price.

Height (A)	Width(B)	Depth(C)	Weight
154 mm	253 mm	110 mm	1.45gm

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP PORTABLE LOCKOUT BOX WITH ADDITIONAL TRANSPARENT ACRYLIC HOLLOW TUBE

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- Group Portable Lockout Box with additional transparent Acrylic Hollow Tube to insert or put Permit Document.
- 16 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- **Size** - Height 154 mm x Width 253 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- **Color** - Red, Yellow or as per the requirement.
- **Weight** – 1.8kg



KRM-K-GPLB-16 R+TDH

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRMOEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269**Lock Tag!**

www.locktagindia.com

safe loto**KM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM-LOTO**
SAFETY PRODUCTS
safe lotoCE
Certified**GROUP PORTABLE LOCKOUT BOX WITH
ADDITIONAL TRANSPARENT ACRYLIC HOLLOW TUBE****KRM-K-GLPB-16 R+TDH**

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- Group Portable Lockout Box with additional transparent Acrylic Hollow Tube to insert or put Permit Document.
- 16 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- **Size** - Height 154 mm x Width 253 mm x Depth 110 mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- **Color** - Red, Yellow or as per the requirement.
- **Weight** - 1.8kg

**KRM CORPORATION**OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – PORTABLE GROUP LOCKOUT & STORAGE BOX

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Size** - Width 253 mm x Depth 110 mm x height 154 mm
- Locking Mechanism – 17 Locking slots on box for group isolation
- It is portable type.
- Group Lockout Box with storage box as a partition to store any other item with a single hook for locking.
- Number of boxes can be staged on one by one to save storage space.
- Color** - Red, Yellow or as per the requirement.
- Weight** – 2.7kg



KRM-K-PGLSB-R

HEIGHT	WIDTH	DEPTH	WEIGHT
154mm	253mm	110mm	2.7kg

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



KRM-LOTO
SAFETY PRODUCTS

safe loto



KRM-K-PGLSB-R

PORTABLE GROUP LOCKOUT & STORAGE BOX

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** – Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Size** – Height 154 mm x Width 253 mm x Depth 110 mm
- Locking Mechanism – 17 Locking slots on box for group isolation
- It is portable type.
- Group Lockout Box with storage box as a partition to store any other item with a single hook for locking.
- Number of boxes can be staged on one by one to save storage space.
- Color** – Red, Yellow or as per the requirement.
- Weight** – 2.7kg

Height	Width	Depth	Weight
154 mm	253 mm	110 mm	2.7kg

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA


www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE GROUP LOCKOUT BOX (20 LOCKABLE HOLES)

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 20 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- Size - Height 180mm x Width 313mm x Depth 161mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- Color** - Red or as per the requirement.
- Weight** – 2.1kg



KRM-K-GPLB-R20



HEIGHT(A)	WIDTH(B)	DEPTH(C)	WEIGHT
180mm	313mm	161mm	2.1kg

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM SLOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2007

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM-LOTO**
SAFETY PRODUCTS
safe loto**PORTABLE GROUP LOCKOUT BOX
(20 LOCKABLE HOLES)**LOTO
EXPERT**KRM-K-GPLB-R20**

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed \ when all of them for group isolation.
- **Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- 20 Slots to hang / accommodates padlock and one main locking hook / slot on side.
- **Size** - Height 180mm x Width 313mm x Depth 161mm
- Resistant to corrosion.
- It is portable type.
- Number of boxes can be staged on one by one to save storage space.
- **Color** - Red or as per the requirement.
- **Weight** - 2.1kg

Height (A)	Width(B)	Depth (C)	Weight
180mm	313 mm	161 mm	2.1kg

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (7HOLES)

- **Material** - Mild Steel with duly Phosphate powder coated.
- Size -152 mm x 101 mm x 76 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on **fix back surface** of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks .
- 7 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red or as per the requirement.
- **Weight** – 500gm



KRM-K-GLB-H7

HEIGHT	WIDTH	DEPTH	LOCKING SLOTS	WEIGHT
152mm	101mm	76mm	7	500gm

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

**KRM LOTO**
SAFETY PRODUCTS
safe loto**PORTABLE/WALL MOUNTED UNIQUE GROUP
LOCKOUT BOX (7 HOLES)**CE
Certified**KRM-K-GLB-H7**

- Material – Mild Steel with duly Phosphate powder coated.
- Size – 152 mm x 101 mm x 76 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on fix back surface of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks.
- 7 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- Color – Red or as per the requirement.
- Weight – 500gm

Height	Width	Depth	Locking Slots	Weight
152mm	101mm	76mm	7	500gm

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
Info@krmcorporation.com, wadhwarajinder@gmail.comwww.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (9HOLES)

- **Material** - Mild Steel with duly Phosphate powder coated.
- Size -152 mm x 116 mm x 76 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on **fix back surface** of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks .
- 9 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** –Red or as per the requirement.
- **Weight** – 850gm



KRM-K-GLB-H9

HEIGHT	WIDTH	DEPTH	LOCKING SLOTS	WEIGHT
152mm	116mm	76mm	9	850gm

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (9 HOLES)

CE
Certified



KRM-K-GLB-H9

- Material – Mild Steel with duly Phosphate powder coated.
- Size – 152 mm x 116 mm x 76 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on fix back surface of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks.
- 9 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- Color – Red or as per the requirement.
- Weight – 850gm

Height	Width	Depth	Locking Slots	Weight
152mm	116mm	76mm	9	850gm

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KM Safetech Private Limited

Info@krmcorporation.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmcorporation.com, www.safetyloto.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (12HOLES)

- **Material** - Mild Steel with duly Phosphate powder coated.
- Size -140 mm x 190 mm x 76 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on **fix back surface** of box to on any surface
- One slot on front side
- There are provision of holes inside to fix hooks .
- 12 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** –Red or as per the requirement.
- **Weight** – 1.25kg



KRM-K-GLB-H12



HEIGHT	WIDTH	DEPTH	LOCKING SLOTS	WEIGHT
140mm	190mm	76mm	12	1.25kg

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2008

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM LOTO**
SAFETY PRODUCTS
safe loto**PORTABLE/WALL MOUNTED UNIQUE GROUP
LOCKOUT BOX (12 HOLES)**CE
CertifiedKRM LOTO
EXPERT**KRM-K-GLB-H12**

- Material – Mild Steel with duly Phosphate powder coated.
- Size – 140 mm x 190 mm x 76 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on fix back surface of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks.
- 12 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- Color – Red or as per the requirement.
- Weight – 1.25kg

Height	Width	Depth	Locking Slots	Weight
140mm	190mm	76mm	12	1.25kg

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**KRM Safetech Private Limited**

Info@krmcorporation.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmcorporation.com, www.safetyloto.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (26HOLES)

- **Material** - Mild Steel with duly Phosphate powder coated.
- Size -152 mm x 304 mm x 76 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on **fix back surface** of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks .
- 26 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red or as per the requirement.
- **Weight** – 1.75kg



KRM-K-GLB-H26

HEIGHT	WIDTH	DEPTH	LOCKING SLOTS	WEIGHT
152mm	304mm	76mm	26	1.75kg

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com
OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269www.lotoappliances.comEmail: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

safe loto

**KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



KRM LOTO
SAFETY PRODUCTS
safe loto

PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (26 HOLES)

CE
Certified

- Material – Mild Steel with duly Phosphate powder coated.
- Size – 152 mm x 304 mm x 76 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on fix back surface of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks.
- 26 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- Color – Red or as per the requirement.
- Weight – 1.75kg

KRM-K-GLB-H26

Height	Width	Depth	Locking Slots	Weight
152mm	304mm	76mm	26	1.75kg

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**KRM Safetech Private Limited**M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
Email: info@krmcorporation.com, wadhwarajinder@gmail.com | www.krmcorporation.com, www.safetyloto.comPostal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)
Regd. Office: 1H/31A, N.I.T. Faridabad-121001
www.krmloto.com | www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (27HOLES)

- **Material** - Mild Steel with duly Phosphate powder coated.
- Size -270 mm x 320 mm x 85 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on **fix back surface** of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks .
- 27 Slots to hang / accommodates padlocks
- Front side boarder with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Yellow, Grey or as per the requirement.
- **Weight** – 1.75kg



KRM-K-PGLB-H27-G



KRM-K-PGLB-H27-Y

HEIGHT	WIDTH	DEPTH	LOCKING SLOTS	WEIGHT
270mm	320mm	85mm	27	1.75kg

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM-LOTO**
SAFETY PRODUCTS
safe loto**PORTABLE/WALL MOUNTED UNIQUE GROUP
LOCKOUT BOX (27 HOLES)**CE
Certified**KRM-K-PGLB-H27-Y****KRM-K-PGLB-H27-G**

- Material – Mild Steel with duly Phosphate powder coated.
- Size – 270 mm x 320 mm x 85 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on fix back surface of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks.
- 9 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- Color – Yellow, Grey or as per the requirement.
- Weight – 1.75kg

Height	Width	Depth	Locking Slots	Weight
270mm	320mm	85mm	27	1.75kg

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269**KM Safetech Private Limited**

info@krmcorporation.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmcorporation.com, www.safetyloto.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (13HOLES)

- **Material** - Mild Steel with duly Phosphate powder coated.
- Size -250 mm x 250 mm x 75 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on **fix back surface** of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks .
- 13 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red or as per the requirement.
- **Weight** – 1.2kg



KRM-K-13H-PWMGLB

HEIGHT	WIDTH	DEPTH	LOCKING SLOTS	WEIGHT
250mm	250mm	75mm	13	1.2kg

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM SLOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2008

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.locktagindia.com



www.locktagindia.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com


KRM SLOTO
SAFETY PRODUCTS
safe loto

PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (13 HOLES)

CE
Certified**KRM-K-13H-PWMGLB**

- Material – Mild Steel with duly Phosphate powder coated.
- Size – 250 mm x 250 mm x 75 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on fix back surface of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks.
- 13 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- Color – Red or as per the requirement.
- Weight – 1.2kg

Height	Width	Depth	Locking Slots	Weight
250mm	250mm	75mm	13	1.2kg

KRM CORPORATIONOSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private LimitedM: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, wadhwarajinder@gmail.com

www.krmcorporation.com, www.safetyloto.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE / WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (24 HOLES)

- **Material** – Mild Steel with duly Phosphate powder coated.
- **Size** – Height – 320 mm x Width – 270 mm x Depth – 85 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on fix back surface of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks .
- 24 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red or as per the requirement.
- **Weight** – 1.5kg
- Note : - Provision to fix one or two ABS pocket with one layer of hooks on demand



HEIGHT	WIDTH	DEPTH	LOCKING SLOTS	WEIGHT
320mm	270mm	85mm	24	1.5kg

KRM-K-24H-PWMGLB

GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



KRM-K-24H-PWMGLB

PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (24 HOLES)

CE
Certified

- **Material** – Mild Steel with duly Phosphate powder coated.
- **Size** – Height – 320 mm x Width – 270 mm x Depth – 85 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on fix back surface of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks .
- 24 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red or as per the requirement.
- **Weight** – 1.5kg
- **Note** :- Provision to fix one or two ABS pocket with one layer of hooks on demand

Height	Width	Depth	Locking Slots	Weight
320mm	270mm	85mm	24	1.5kg

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

KRM Safetech Private Limited

info@krmcorporation.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmcorporation.com, www.safetyloto.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE / WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (48 HOLES)

- **Material** – Mild Steel with duly Phosphate powder coated.
- **Size** – Height - 381mm x Width - 381mm x Depth - 100mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on fix back surface of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks.
- 48 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Yellow, Red or as per the requirement.
- **Weight** – 2.5kg
- **Note** : - Provision to fix one or two ABS pocket with one layer of hooks on demand



HEIGHT	WIDTH	DEPTH	LOCKING SLOTS	WEIGHT
381mm	381mm	100mm	48	2.5kg

KRM-K-48H-PWMGLB

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

LOCKOUT/TAGOUT



KRM-LOTO
SAFETY PRODUCTS

safe loto

PORTABLE/WALL MOUNTED UNIQUE GROUP LOCKOUT BOX (48 HOLES)

CE
Certified



KRM-K-48H-PWMGLB

- Material – Mild Steel with duly Phosphate powder coated.
- Size – Height – 381 mm x Width – 381 mm x Depth – 100 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on fix back surface of box to hang on any surface
- One slot on front side
- There are provision of holes inside to fix hooks
- 48 Slots to hang / accommodates padlocks
- Front side border with broad clear fascia
- Resistant to corrosion.
- It is portable as well as wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- Color – Red or as per the requirement.
- Weight – 2.5kg
- Note : - Provision to fix one or two ABS pocket with one layer of hooks on demand

Height	Width	Depth	Locking Slots	Weight
381mm	381mm	100mm	48	2.5kg

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

KM Safetech Private Limited

info@krmcorporation.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmcorporation.com, www.safetyloto.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - PORTABLE GROUP ISOLATION LOCK BOX

- KRM LOTO Lock Box are compulsory and important safety equipment. All the important keys can be placed inside the box and further locked by responsible.
- **Material** – Mild steel with duly phosphate powder coated.
- Lockout Box can hold hundreds of keys and also includes an additional feature in which
- it can hold 12 keys organized in back of box.
- With special LATCH LIGHT feature, until the last padlock is not unlocked from the box.
- one would not be able to access the box.
- Can be used as portable box so or wall mounted to fix it.
- **Color** – Red, Yellow, or any color as per quantity required.
- **Weight** – 3.5kg



KRM-K-LTLB-R

GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT**PORTABLE GROUP ISOLATION LOCK BOX**

CE
Certified

**KRM-K-LTLB-R**

- KRM LOTO Lock Box are compulsory and important safety equipment. All the important keys can be placed inside the box and further locked by responsible.
- **Material** – Mild steel with duly phosphate powder coated.
- Lockout Box can hold hundreds of keys and also includes an additional feature in which
- it can hold 12 keys organized in back of box.
- With special LATCH LIGHT feature, until the last padlock is not unlocked from the box.
- one would not be able to access the box.
- Can be used as portable box so or wall mounted to fix it.
- **Color** – Red, Yellow, Grey or any color as per quantity required.
- **Weight** – 3.5kg

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX WITH 4 & 6 LOCKS

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Locking Slots** – 4 / 6 inbuilt locks for group isolation.
- Front side Clear Fascia with border frame.
- Having provision of slots on the top layer to drop key or document after locking.
- Provision of four pre drilled holes on backside to mount on any surface.
- Three Stainless steel hooks slots for placing the item.
- Color** – Yellow, Grey or as per the volume



KRM-K-GLB-Y-6



KRM-K-GLB-Y-4

ITEM CODE	HEIGHT	WIDTH	DEPTH	WEIGHT	LOCKING SLOTS
KRM-K-GLB-Y-4	407mm	356mm	76mm	3kg	4
KRM-K-GLB-Y-6	464mm	394mm	50mm	3.5kg	6

GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



GROUP LOCKOUT BOX WITH 4 & 6 LOCKS

CE
Certified

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Locking Slots** – 4 / 6 inbuilt locks for group isolation.
- Front side Clear Fascia with border frame.
- Having provision of slots on the top layer to drop key or document after locking.
- Provision of four pre drilled holes on backside to mount on any surface.
- Three Stainless steel hooks slots for placing the item.
- Color** – Yellow, Grey or as per the volume



KRM-K-GLB-Y-4



KRM-K-GLB-Y-6

Item Code	Height	Width	Depth	Weight	Locking Slots
KRM-K-GLB-Y-4	407 mm	356 mm	76 mm	3 kg	4
KRM-K-GLB-Y-6	464 mm	394 mm	50 mm	3.5 kg	6

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)
Regd. Office: 1H/31A, N.I.T. Faridabad-121001

KM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX WITH 8 SLOTS

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** – Group Lockout made of mild steel with duly phosphate powder coated.
- Resistant to corrosion
- Locking Slots** – 8 slots for group isolation.
- Front side clear fascia with border frame.
- Provision of four pre drilled holes on backside to mount on any surface.
- One main lock available for locking arrangement.
- Size** – Height – 464 mm X width– 394 mm X Depth – 50 mm
- Color** – Grey, Yellow or as per the volume.
- Weight** – 3.5 kgs



KRM-K-GLB-P8

ITEM CODE	HEIGHT	WIDTH	DEPTH	WEIGHT	LOCKING SLOTS
KRM-K-GLB-P8	464mm	394mm	50mm	3.5kg	8

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



KRM-K-GLB-P8

GROUP LOCKOUT BOX WITH 8 SLOTS

CE
Certified

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material** – Group Lockout made of mild steel with duly phosphate powder coated.
- **Resistant to corrosion**
- **Locking Slots** – 8 slots for group isolation.
- **Front side clear fascia with border frame.**
- **Provision of four pre drilled holes on backside to mount on any surface.**
- **One main lock available for locking arrangement.**
- **Size** – Height – 464 mm X Length – 394 mm X Depth – 50 mm
- **Color** – Grey, Yellow or as per the volume.
- **Weight** – 3.5kg

Item Code	Height	Width	Depth	Weight	Locking Slots
KRM-K-GLB-P8	464 mm	394 mm	50 mm	3.5kg	8

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)
Regd. Office: 1H/31A, N.I.T. Faridabad-121001

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwaraajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

GROUP LOCKOUT BOX WITH IN BUILT 4 LOCK & 12 SLOTS WITH AND WITHOUT MATERIAL

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Locking Mechanism** – 4 inbuilt lock + 12 locking slots on top and bottom of the box.
- Two slots in front of top and bottom of the box to hang padlocks for group locking.
- Front side Clear Fascia with border frame.
- Provision of four pre drilled holes on backside to mount on any surface.
- It is portable as well as wall mounted type
- Size** – Height – 254mm X width – 203mm X Depth – 100mm
- Weight** – without material 2kg & with material 3.2kg
- Color** – Yellow, Grey or as per the volume



KRM-K-GLB-12H-WM



KRM-K-GLB-12H

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2007



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM LOTO**SAFETY PRODUCTS
safe lotoCE
Certified

GROUP LOCKOUT BOX WITH IN BUILT 4 LOCK & 12 SLOTS WITH AND WITHOUT MATERIAL

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Locking Mechanism** – 4 inbuilt lock + 12 locking slots on top and bottom of the box.
- Two slots in front of top and bottom of the box to hang padlocks for group locking.
- Front side Clear Fascia with border frame.
- Provision of four pre drilled holes on backside to mount on any surface.
- It is portable as well as wall mounted type
- **Size** – Height – 254mm X Width – 203mm X Depth – 100mm
- **Weight** – Without Material 2kg & With Material 3.2kg
- **Color** – Yellow, Grey or as per the volume

**KRM-K-GLB-12H-WM****KRM-K-GLB-12H****KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)
Regd. Office: 1H/31A, N.I.T. Faridabad-121001

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q126,
 PAN No.: AAPPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L12I
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** – Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Mechanism** – 4 inbuilt lock.
- Can provide transparent or front fascia in each section of door as shown in image.
- Size** – Height – 42 inch X Width – 24 inch Depth – 12 inch
- Color** – Grey or as per the volumes



KRM-K-LS421

KRM CORPORATIONISO 9001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM**KRM LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2008GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)


OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM LOTO**
SAFETY PRODUCTS
safe loto**KRM-K-LS421****GROUP LOCKOUT BOX**CE
Certified

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material** – Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- **Locking Mechanism** – 4 inbuilt lock.
- Can provide transparent or front fascia in each section of door as shown in image.
- **Size** – (A)Height – 42 inch X (B)Width – 24 inch (C)Depth – 12 inch
- **Color** – Grey or as per the volumes

KRM LOTO
EXPERT**KRM CORPORATION**OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP ISOLATION BOARD ACTIVATE/ DEACTIVATED

- Group isolation** are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Group Lockout Box made of Mild Steel with duly Phosphate powder coated.
- Size of box** - Width 600 mm x Height 450 mm x depth 90(+ -10%)
- Top Display plate size**- height 600mm 125mm anchoring Provision on top of Box
- Box divide in 2 part with swing door made of duly Phosphate powder coated mild steel frame boarder with clear fascia 3mm acrylic sheet.
- Left half part**(Board activate) having 3Layer of hooks (Total 36 Hooks) with 3 outside locking hooks provision for locks on box as shown in picture
- Right half Part** (Board Deactivated) Having 2 size pocket to keep documentation paper with 1 outside hook provision on box as shown in picture
- Weight : Maximum 8-9kg.**
- Color** - Red, as per the requirement.



KRM-K-ISGLS-9

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP ISOLATION BOARD ACTIVATE/ DEACTIVATED

- **Group isolation** are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material** - Group Lockout Box made of Mild Steel with duly powder coated.
- **Size of box** - Width 600 mm x Height 450 mm x depth 90(+ -10%)
- **Top Display plate size**- height 600mm 125mm anchoring Provision on top of Box
- Box divide in 2 part with swing door made of duly powder coated mild steel frame boarder with clear fascia 3mm acrylic sheet.
- **Left half part**(Board activate) having 3Layer of hooks (Total 36 Hooks) with 3 outside locking hooks provision for locks on box as shown in picture
- **Right half Part** (Board Deactivated) Having 2 size pocket to keep documentation paper with 1 outside hook provision on box as shown in picture
- **Weight : Maximum** 6kg.
- **Color** - Red, as per the requirement.



KRM-K-ISGLS-6

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP ISOLATION BOARD ACTIVATE/ DEACTIVATED

- **Group isolation** are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material** - Group Lockout Box made of Mild Steel with duly powder coated.
- **Size of box** - Width 600 mm x Height 450 mm x depth 90(+ -10%)
- **Top Display plate size**- height 600mm 125mm anchoring Provision on top of Box
- Box divide in 2 part with swing door made of duly powder coated mild steel frame boarder with clear fascia 3mm acrylic sheet.
- **Left half part**(Board activate) having 3Layer of hooks (Total 36 Hooks) with 3 outside locking hooks provision for locks on box as shown in picture
- **Right half Part** (Board Deactivated) Having 2 size pocket to keep documentation paper with 1 outside hook provision on box as shown in picture
- **Weight : Maximum** 4 to 4.5 kg.
- **Color** - Red, as per the requirement.



KRM-K-ISGLS-4

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**Lock Tag!!**

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

safe loto

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Notes:

- Lock & Tag should be used with all loto products.
- For group locking on particular energy hasp should be used.
- Group lockout box should be used for group lockout tagout.
- Scissor Cable or Round cable lockout can be used to lock multiple hazardous energies instead putting individual locks & tags.