

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | REGD. CHARGE: 42870/21/16
 TO ORDER: 0091 9810 291 381, 8800 544 881

GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269

Lock Tag!!



www.lotoappliances.com

safe loto



KRM Safetech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO- LOCKABLE CONFINED SPACE

- KRM LOTO- LOCKABLE CONFINED SPACE COVER Made on High Quality Fabric.
- Confined Space Covers (fit most size entry and egress points on man- ways, heater doors, nozzles, broken pipe work and vessel skirts. The lockable and adjustable is fitted over the existing flange and is secured by installing a safety padlock, giving plant safety personnel 100% control of the confined space.
- KCRM-K-LCSC-5050 SIZE-50mm (50cm)
- KCRM-K-LCSC-2833 Size-710 mm to 860 mm (28 -33.8 inch)
- KCRM-K-LCSC-2836 Size-711 mm to 914 mm (28"-36" INCH)
- KCRM-K-LCSC-3138 Size-812 mm to 990 mm(31"-38"INCH)
- (Cover with cable lockout device but without any lock)



KCRM-K-MPS+2C



We can make any matter
 on cover quantity basis



KCRM-K-LCSC

KRM CORPORATION

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2015



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO- LOCKABLE CONFINED SPACE COVER

- KRM LOTO- LOCKABLE CONFINED SPACE COVER Made on High Quality Fabric with Net/ Mesh Facia Front.
- Confined Space Covers (fit most size entry and egress points on man- ways, heater doors, nozzles, broken pipe work and vessel skirts. The lockable and adjustable is fitted over the existing flange and is secured by installing a safety padlock, giving plant safety personnel 100% control of the confined space.
- KKRM-K-LCSC-N-5050 SIZE-50mm (50cm)
- KKRM-K-LCSC-N-2833 Size-710 mm to 860 mm (28 -33.8 inch)
- KKRM-K-LCSC-N-2836 Size-711 mm to 914 mm (28"-36" INCH)
- KKRM-K-LCSC-N-3138 Size-812 mm to 990 mm(31"-38"INCH)
- (Cover with cable lockout device but without any lock)



KKRM-K-MPS+2C



700mm



**We can make any matter
on cover quantity basis**

KKRM-K-LCSC-N

KRM CORPORATION

ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

Lock Tag!!



www.lotoappliances.com

safe loto



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

HEAVY DUTY QUICK ADAPTABLE MAIN HOLE / CONFINED SPACE BARRIER

Made from metal
strip 1.2mm thick with
multi holes to fit as
adjustable pattern and
restricted sign on it

- It can expend 45-65cm
- **Sign Size-** 150 mm
- For easy installation the barriers are equipped with bolts & nuts. Based on specific needs, locks can be provided on request for easy handling and/or locking of the Main hole/confined space protection barrier.



KKRM-K-MHCSB4565

KRM CORPORATION

ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

**KRM™****KRM-LOTO**
SAFETY PRODUCTS**Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

HEAVY DUTY QUICK ADAPTABLE MAIN HOLE / CONFINED SPACE BARRIER

- This highly visible barrier system blocks access to confined spaces with a bold red-and-white crossbuff design and a prominent octagonal warning panel that can be seen from a distance. It delivers long-lasting performance in both indoor and outdoor environments while folding flat for easy transport and storage.
- OSHA-style warning panel ensures clear, compliant hazard communication
- Red-and-white crossbuff layout enhances visibility at entry points
- Matel material 1.2mm thick construction resists impact and repeated use
- Adjustable arms fit bolt-to-bolt patterns from 22 inch to 38 inch
- Sign arms measure 6 inch × 44 inch with a 1-1/2 inch × 10 inch mounting slot
- Folds flat for compact transport and storage
- Available with custom-printed messages for site-specific requirements.
- **Recommended Applications:**
 - Confined space entry points
 - Industrial tanks, pits, and vessels
 - Maintenance and shutdown operations
 - Restricted or hazardous access areas
- **Ideal For:**
 - Preventing unauthorized entry into confined spaces
 - Enhancing visibility of dangerous or restricted zones
 - Supporting lockout/tagout and safety compliance procedures



KKRM-K-MHCSB2238