

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

**Lock Tag!!**

safe loto

KRM Safetech Private Limited

to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – METAL LINK CHAIN 3MM THICK


- **Material** - Heavy Duty Metal Steel With SS Finish/Chrome/Zinc Coated..
- Chain Thickness- **+3mm**
- Link Inner Size- **+25mm x 8mm**
- Link Outer Size - **+31mm x 14 mm**
- With round ring both end & without round ring)
- Small Ring Internal Dia 20mm/ Outer Dia 25mm & Large Ring Internal Dia 30mm / Outer Dia 35mm applicable for chain length 1 to 5 feet but not less than 1 feet



WITH RING

WITHOUT RING

Model	Description
KKRM-K-SPC / SPC-2/3	Metal SS finish chain with both side hooks – 9” without edge ring or 24/36 inch with ring
KKRM-K-CPC-9	Metal Chrome/Zinc finish chain – 9” without edge ring
KKRM-K-CPC-2	Metal Chrome/Zinc finish chain with both side hooks – 2 ft
KKRM-K-CPC-3	Metal Chrome/Zinc finish chain with both side hooks - 3ft
KKRM-K-CPC-4	Metal Chrome/Zinc finish chain with both side hooks - 4ft
KKRM-K-CPC-5	Metal Chrome/Zinc finish chain with both side hooks - 5ft



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881



to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Lock Tag!!



www.lotoappliances.com

safe loto



KRM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – METAL LINK CHAIN 3.6MM THICK

- **Material** - Heavy Duty Caron Steel With SS Finish/Chrome/zinc Coated.
- Chain Thickness- **+3.6mm**
- Link Inner Size - **+21mm x 7mm**
- Link Outer Size - **+28.2mm x 14.2mm**
- With round ring both end & without round ring)
- Small Ring Internal Dia 20mm/ Outer Dia 25mm & Large Ring Internal Dia 30mm / Outer Dia 35mm applicable for chain length 1 to 5 feet but not less than 1 feet



WITH RING WITHOUT RING

Model	Description
KKRM-K-SPC / SPC-2/3	Metal SS finish chain with both side hooks – 9” without edge ring or 24/36 inch with ring
KKRM-K-CPC-9	Metal Chrome/Zinc finish chain – 9” without edge ring
KKRM-K-CPC-2	Metal Chrome/Zinc finish chain with both side hooks – 2 ft
KKRM-K-CPC-3	Metal Chrome/Zinc finish chain with both side hooks - 3ft
KKRM-K-CPC-4	Metal Chrome/Zinc finish chain with both side hooks - 4ft
KKRM-K-CPC-5	Metal Chrome/Zinc finish chain with both side hooks - 5ft



KRM CORPORATION

OHSA 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881



Lock Tag!!

to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

safe loto



KRM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI

PAN No.: AAECK2831L

TIN No.: 06824000112

CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com


www.locktagindia.com

www.lotoappliances.com

KRM LOTO – METAL LINK CHAIN 2 TO 3.6 MM THICK

- Material** - Heavy Duty Caron Steel With SS Finish/Chrome/Zinc Coated.
- Chain Thickness- ± 2 to 3.60mm
- Link Inner Size
+9 mm to 20 mm x 7mm
- Link Outer Size
+ 17 to 30 mm x 13 mm

Length – 50 Meter.



2/3mm Thick



3.6mm Thick



35mm Ring



25mm Ring



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881



to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – METAL LINK CHAIN 9 INCH WITH PADLOCK EYE ,LOCK CLAMP AND RIVETS to fix on Panel



Having Items in the Set

- 1 Chain-9" long
- 5 Rivets,
- 1 Padlock Eye 22mm,
- 1 Clamp for lock &
- 1 Clamp to fix chain on panel



Small Clamp
with 2 Rivet



Metal Link Chain

Multi thickness chain available as per cost

LOCK IS NOT PART OF SET THAT ADDITIONAL COST

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881



to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Lock Tag!!



www.lotoappliances.com

safe loto



KRM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – METAL LINK CHAIN 2 MM THICK

- **Material** - Heavy Duty Caron Steel With SS Finish/Chrome Coated.
- Chain Thickness- **$\pm 2\text{mm}$**
- Link Inner Size- **$\pm 13\text{mm} \times 9\text{mm}$**
- Link Outer Size- Outer Height – **$\pm 17\text{mm} \times 13\text{mm}$**
- With round ring both end & without round ring)
- Ring Internal Dia 31mm & Outer Dia 39mm applicable for chain length 1 to 5 feet but not less than 1 feet



Model	Description
KKRM-K-SPC / SPC-2/3	"9 inch without edge ring or 24/ 36 inch with ring
KKRM-K-CPC-9	Metal Chrome/Zinc finish chain – 9" without edge ring
KKRM-K-CPC-2	Metal Chrome/Zinc finish chain with both side hooks – 2 ft
KKRM-K-CPC-3	Metal Chrome/Zinc finish chain with both side hooks - 3ft
KKRM-K-CPC-4	Metal Chrome/Zinc finish chain with both side hooks - 4ft
KKRM-K-CPC-5	Metal Chrome/Zinc finish chain with both side hooks - 5ft

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

**Lock Tag!!**

to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

safe loto**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – METAL LINK CHAIN SLEEK TYPE

- **Material** - Caron Steel With SS Finish/Chrome Coated.
- Chain Thickness- $\pm 2\text{mm}$
- Link Inner Size- $\pm 5\text{mm} \times 3.5\text{mm}$
- Link Outer Size - $\pm 9\text{mm} \times 7.5\text{mm}$
- Metal Wire Small Ring Internal Dia 14mm/ Outer Dia 15mm & Large Ring Internal Dia 20mm / Outer Dia 21mm applicable for chain length 1 to 5 feet but not less than 1 feet



Model	Description
KKRM-K-SPC-9	Metal SS finish chain with both side hooks – 9" metal wire ring`
KKRM-K-SPC-12	Metal SS finish chain with both side hooks –12 inch