

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com




GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

ELECTRICAL PANEL LOCK

- KRM LOTO Panel Lock .
- Main material and finish: Black powder coated ZDC housing and insert, white zinc plated steel cam
- Electrical panel Cabinet lock Device Without locking arrangement
- 1 Transparent / White Washer
- 1 Hexagonal nut
- All Dimension are in mm $\pm 10\%$.
- Technical Image for reference purpose only to understand the concept.

KKRM-K-ECPL-K



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com





GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

ELECTRICAL PANEL LOCK

- KRM LOTO Panel Lock .
- Main material and finish: Black powder coated ZDC housing and insert, white zinc plated steel cam
- Electrical panel Cabinet lock Device Without locking arrangement 2 Key with one lock.
- Black Color Molded Head of the key.
- 1 Transparent/ White Washer
- 1 Hexagonal nut
- **All Dimension are in mm $\pm 10\%$.**
- **Technical Image for reference purpose only to understand the concept.**

KKRM-K-ECPL-KWL



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L



Telefax: 00 91 129 4021 381, 413 1381 (D)

ELECTRICAL PANEL LOCK

- KRM LOTO Panel Lock .
- Material Metal with Chrome/zinc Coating.
- Electrical panel Cabinet lock Device With provision of lock arrangement
- 1 Transparent/ White Washer.
- 1 Hexagonal nut
- All Dimension are in mm $\pm 10\%$.
- Technical Image for reference purpose only to understand the concept.



KKRM-K-ECPL-KWL-1



GSTIN No.: 06AAVPW8746Q126,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

ELECTRICAL PANEL LOCK

- KRM LOTO Panel Lock .
- Material Metal with Chrome/zinc Coating.
- Electrical panel Cabinet lock Device With provision of lock arrangement
- Application: Quarter-turn opening or closing
- 1 Hexagonal nut
- All Dimension are in mm $\pm 10\%$.
- Technical Image for reference purpose only to understand the concept.



KKRM-K-ECPL



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA


www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

ELECTRICAL PANEL LOCK

- KRM LOTO Panel Lock Alike Key.
- Material Metal with Chrome/zinc Coating.
- 2 Key with one lock.
- key retained in unlock condition of lock and key come out only after locking.
- Black Color Molded Head of the key.
- 1 Transparent/ White Washer.
- 1 Hexagonal nut
- **All Dimension are in mm $\pm 10\%$.**
- **Technical Image for reference purpose only to understand the concept.**



KCRM-K-EPCL-A



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Lock Tag!!



www.lotoappliances.com

safe loto




K&M Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

ELECTRICAL PANEL LOCK






- KRM LOTO Panel Lock Differ key/Alike Key.
- we may need 300 pc in one set and 600 pc in one set.
- key retained in unlock condition of lock and key come out only after locking.
- Material Metal with Chrome/Zinc Coating.
- 2 Key with one lock.
- Black Color Molded Head of the key.
- 1 Transparent/ White Washer.
- 1 Hexagonal nut
- All Dimension are in mm $\pm 10\%$.
- Technical Image for reference purpose only to understand the concept.



KKRM-K-ECPL-DK(DIFFER KEY)
KKRM-K-ECPL-KA(ALIKE KEY)



CUT - OUT



GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L



Telefax: 00 91 129 4021 381, 413 1381 (D)

COMBINATION LOCK

- KRM LOTO Combination Lock .
- Horizontal 4-digits combination camlock for wooden (16-20 mm) installation
- Dimension-8.7 x 2 x 2.4 centimeters
- Flexible closing systems: the same lock can be set to work in public mode (default setting) or personal mode.
- Front cover with the 4 digits and droved and ergonomic 90° rotating knob. Back cover with 2 screw holes for a simple installation
- Left-hinged, standard version (plastic black cover and knob)
- **All Dimension are in mm $\pm 10\%$.**
- **Technical Image for reference purpose only to understand the concept.**



KCRM-K-CL



CUT-OUT

KRM LOTO

KRM CORPORATION
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018
 to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 and 1910.269
 GSTIN No.: 06AAPW8746Q1Z6,
 PAN No.: AAPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116
 M: 00 91 9810 291 381, 8800 544 881

KRM


Lock Tag!!
 OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products
 to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



safe loto


K&M Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015
 GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L
 Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com
 Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA
www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

Notes:

- Lock & Tag should be used with all loto products.
- For group locking on particular energy hasp should be used.
- Group lockout box should be used for group lockout tagout.
- Scissor Cable or Round cable lockout can be used to lock multiple hazardous energies instead putting individual locks & tags.